

**Fifty-seventh Legislative Assembly of North Dakota
In Regular Session Commencing Tuesday, January 9, 2001**

HOUSE BILL NO. 1118
(Political Subdivisions Committee)
(At the request of the Office of Management and Budget)

AN ACT to amend and reenact section 18-08-12 of the North Dakota Century Code, relating to fire inspection of state buildings and institutions.

BE IT ENACTED BY THE LEGISLATIVE ASSEMBLY OF NORTH DAKOTA:

SECTION 1. AMENDMENT. Section 18-08-12 of the 1999 Supplement to the North Dakota Century Code is amended and reenacted as follows:

18-08-12. Annual Periodic fire inspection of state buildings and institutions. ~~An annual fire inspection shall be performed at each state institution and building.~~

1. ~~The state fire marshal, or the marshal's designee, shall inspect annually the state penitentiary, the James River correctional center, the Missouri River correctional center, the North Dakota youth correctional center, the state developmental center at westwood park, Grafton, the state veterans' home, and the state hospital. The annual inspection of all other state institutions and occupied state-owned buildings, except residential buildings, must be made by the fire department of the city or fire protection district in which the institution or building is located, at the direction of the officer in charge of the institution or building, who~~ the state fire marshal, or the marshal's designee, at least once every three years. The officer in charge of the institution or building shall prepare a response to the report based upon the findings of the fire inspection. Inspection and reporting under this section for residential buildings must be performed annually. The report, which must contain specifications of any violations, must be submitted to the responsible board, agency, or commission and a copy of the response to the report must be submitted to the state fire marshal by the officer in charge of the state institution or building. If the report indicates that any ~~All violations can~~ in the report must be corrected within the current budget of the responsible board, agency, or commission, and action to correct the violations, unless good cause can be demonstrated to the attorney general, must be initiated within thirty days of receipt of the report by the responsible board, agency, or commission.
2. ~~For purposes of this section, a "fire inspection" is a procedure performed in accordance with standards set forth in the uniform state building code, the fire protection code of the building officials and code administrators local jurisdiction, or the code of the national fire protection association.~~
3. For purposes of this section, "residential building" includes all state-owned buildings used in whole or in part for providing overnight sleeping accommodations to one or more persons on a regular or occasional basis, except for single-family dwellings.

Speaker of the House

President of the Senate

Chief Clerk of the House

Secretary of the Senate

This certifies that the within bill originated in the House of Representatives of the Fifty-seventh Legislative Assembly of North Dakota and is known on the records of that body as House Bill No. 1118.

House Vote: Yeas 96 Nays 0 Absent 2

Senate Vote: Yeas 46 Nays 0 Absent 3

Chief Clerk of the House

Received by the Governor at _____ M. on _____, 2001.

Approved at _____ M. on _____, 2001.

Governor

Filed in this office this _____ day of _____, 2001,
at _____ o'clock _____ M.

Secretary of State