Sixty-third Legislative Assembly of North Dakota

HOUSE BILL NO. 1070

Introduced by

Judiciary Committee

(At the request of the State Board of Pharmacy)

- 1 A BILL for an Act to amend and reenact sections 19-03.1-05, 19-03.1-09, 19-03.1-11, and
- 2 19-03.1-13 of the North Dakota Century Code, relating to the scheduling of controlled
- 3 substances.

4 BE IT ENACTED BY THE LEGISLATIVE ASSEMBLY OF NORTH DAKOTA:

- 5 **SECTION 1. AMENDMENT.** Section 19-03.1-05 of the North Dakota Century Code is amended and reenacted as follows:
- 7 19-03.1-05. Schedule I.
- 8 1. The controlled substances listed in this section are included in schedule I.
- 9 2. Schedule I consists of the drugs and other substances, by whatever official name,
- 10 common or usual name, chemical name, or brand name designated, listed in this
- 11 section.
- 12 3. Opiates. Unless specifically excepted or unless listed in another schedule, any of the
- following opiates, including their isomers, esters, ethers, salts, and salts of isomers,
- esters, and ethers, whenever the existence of those isomers, esters, ethers, and salts
- is possible within the specific chemical designation:
- 16 a. Acetyl-alpha-methylfentanyl (also known as
- 17 N-[1-(1-methyl-2-phenethyl)-4-piperidinyl]-N-phenylacetamide).
- b. Acetylmethadol.
- 19 c. Allylprodine.
- d. Alphacetylmethadol.
- e. Alphameprodine.
- f. Alphamethadol.

1	g.	Alpha-methylfentanyl (also known as
2		N-[1-(alpha-methyl-beta-phenyl)ethyl-4-piperidyl] propionanilide;
3		1-(1-methyl-2-phenylethyl)-4-(N-propanilido) piperidine).
4	h.	Alpha-methylthiofentanyl (also known as N-[1-methyl-2-
5		(2-thienyl)ethyl-4-piperidinyl]-N-phenylpropanamide).
6	i.	Benzethidine.
7	j.	Betacetylmethadol.
8	k.	Beta-hydroxyfentanyl (also known as N-[1-(2-hydroxy-2-
9		phenethyl)-4-piperidinyl]-N-phenylpropanamide).
10	I.	Beta-hydroxy-3-methylfentanyl (also known as N-[1-(2-hydroxy-2-
11		phenethyl)-3-methyl-4-piperidinyl]-N-phenylpropanamide).
12	m.	Betameprodine.
13	n.	Betamethadol.
14	0.	Betaprodine.
15	p.	Clonitazene.
16	q.	Dextromoramide.
17	r.	Diampromide.
18	S.	Diethylthiambutene.
19	t.	Difenoxin.
20	u.	Dimenoxadol.
21	V.	Dimepheptanol.
22	W.	Dimethylthiambutene.
23	Χ.	Dioxaphetyl butyrate.
24	y.	Dipipanone.
25	Z.	Ethylmethylthiambutene.
26	aa.	Etonitazene.
27	bb.	Etoxeridine.
28	CC.	Furethidine.
29	dd.	Hydroxypethidine.
30	ee.	Ketobemidone.
31	ff.	Levomoramide.

1	gg .	Levophenacylmorphan.
2	hh.	3-Methylfentanyl (also known as N-[3-methyl-1-(2-phenylethyl)
3		4-piperidyl]-N-phenylpropanamide).
4	ii.	3-Methylthiofentanyl (also known as N-[3-methyl-1-(2-
5		thienyl)ethyl-4-piperidinyl]-N-phenylpropanamide).
6	jj.	Morpheridine.
7	kk.	MPPP (also known as 1-methyl-4-phenyl-4-propionoxypiperidine).
8	II.	Noracymethadol.
9	mm.	Norlevorphanol.
10	nn.	Normethadone.
11	00.	Norpipanone.
12	pp.	Para-fluorofentanyl (also known as N-(4-fluorophenyl)-N-[1-(2-
13		phenethyl)-4-piperidinyl] propanamide).
14	qq.	PEPAP (1-(2-Phenylethyl)-4-Phenyl-4-acetoxypiperidine).
15	rr.	Phenadoxone.
16	SS.	Phenampromide.
17	tt.	Phenomorphan.
18	uu.	Phenoperidine.
19	VV.	Piritramide.
20	WW.	Proheptazine.
21	XX.	Properidine.
22	уу.	Propiram.
23	ZZ.	Racemoramide.
24	aaa.	Thiofentanyl (also known as N-phenyl-N-[1-(2-thienyl)ethyl-4-
25		piperidinyl]-propanamide).
26	bbb.	Tilidine.
27	CCC.	Trimeperidine.
28	4. Opiu	um derivatives. Unless specifically excepted or unless listed in another schedule,
29	any	of the following opium derivatives, its salts, isomers, and salts of isomers
30	whe	never the existence of such salts, isomers, and salts of isomers is possible within
31	the	specific chemical designation:

1 Acetorphine. a. 2 b. Acetyldihydrocodeine. 3 C. Benzylmorphine. 4 d. Codeine methylbromide. 5 Codeine-N-Oxide. e. 6 f. Cyprenorphine. 7 Desomorphine. g. 8 Dihydromorphine. h. 9 i. Drotebanol. 10 j. Etorphine (except hydrochloride salt). 11 k. Heroin. 12 Ι. Hydromorphinol. 13 Methyldesorphine. m. 14 Methyldihydromorphine. n. 15 0. Morphine methylbromide. 16 Morphine methylsulfonate. p. 17 Morphine-N-Oxide. q. 18 r. Myrophine. 19 Nicocodeine. S. 20 Nicomorphine. t. 21 u. Normorphine. 22 Pholcodine. ٧. 23 Thebacon. W. 24 5. Hallucinogenic substances. Unless specifically excepted or unless listed in another 25 schedule, any material, compound, mixture, or preparation containing any quantity of 26 the following hallucinogenic substances, including their salts, isomers, and salts of 27 isomers whenever the existence of those salts, isomers, and salts of isomers is 28 possible within the specific chemical designation (for purposes of this subsection only, 29 the term "isomer" includes the optical, position, and geometric isomers): 30 a. Alpha-ethyltryptamine, its optical isomers, salts, and salts of isomers (also known 31 as etryptamine; a-ethyl-1H-indole-3-ethanamine; 3-(2-aminobutyl) indole).

		,
1	b.	Alpha-methyltryptamine.
2	C.	4-bromo-2, 5-dimethoxy-amphetamine (also known as 4-bromo-2,
3		5-dimethoxy-a-methylphenethylamine; 4-bromo-2, 5-DMA).
4	d.	4-bromo-2, 5-dimethoxyphenethylamine (also known as 4-bromo-2, 5-DMPEA).
5	e.	2,5-dimethoxy-amphetamine (also known as 2,
6		5-dimethoxy-a-methylphenethylamine; 2, 5-DMA).
7	f.	2,5-dimethoxy-4-ethylamphetamine (also known as DOET).
8	g.	2,5-dimethoxy-4-(n)-propylthiophenethylamine (also known as 2C-T-7).
9	h.	4-methoxyamphetamine (also known as 4-methoxy-a-methylphenethylamine;
10		paramethoxyamphetamine; PMA).
11	i.	5-methoxy-3,4-methylenedioxy-amphetamine.
12	j.	4-methyl-2,5-dimethoxy-amphetamine (also known as
13		4-methyl-2,5-dimethoxy-a-methylphenethylamine; DOM and STP).
14	k.	5-Methoxy-N,N-Dimethyltryptamine.
15	l.	3,4-methylenedioxy amphetamine.
16	m.	3,4-methylenedioxymethamphetamine (also known as MDMA).
17	n.	3,4-methylenedioxy-N-ethylamphetamine (also known as
18		N-ethyl-alpha-methyl-3,4(methylenedioxy)phenethylamine, N-ethyl, MDA, MDE,
19		MDEA.
20	o. <u>d.</u>	N-hydroxy-3,4-methylenedioxyamphetamine (also known as
21		N-hydroxy-alpha-methyl-3,4(methylenedioxy)phenylamine, and N-hydroxy MDA.
22	p.	3,4,5-trimethoxy amphetamine.
23	q.	Bufotenine (also known as 3-(Beta-Dimethyl-aminoethyl)-5-hydroxyindole;
24		3-(2-dimethylaminoethyl)-5-indolol; N, N-dimethylserotonin;
25		5-hydroxy-N,N-dimethyltryptamine; mappine).
26	r.	5-methoxy-N,N-diisopropyltryptamine.
27	S.	Diethyltryptamine (also known as N, N-Diethyltryptamine; DET).
28	ŧ.	Dimethyltryptamine (also known as DMT).
29	u. <u>e.</u>	Hashish.

∨. <u>f.</u>	Ibogaine (also known as 7-Ethyl-6, 6B, 7, 8, 9, 10, 12,			
	13-octahydro-2-methoxy-6, 9-methano-5 H-pyrido [1', 2':1,2] azepino (5,4-b)			
	indole; Tabernanthe iboga).			
₩. g.	Lysergic acid diethylamide.			
x. <u>h.</u>	Marijuana.			
y.	Mescaline.			
z. i.	Parahexyl (also known as 3-Hexyl-1-hydroxy-7,8,9,10-tetrahydro-			
	6,6,9-trimethyl-6H-dibenzol[b,d]pyran; Synhexyl).			
aa. j.	Peyote (all parts of the plant presently classified botanically as Lophophora			
	williamsii Lemaire, whether growing or not, the seeds thereof, any extract from			
	any part of such plant, and every compound, manufacture, salts, derivative,			
	mixture, or preparation of such plant, its seeds, or its extracts).			
bb.<u>k.</u>	N-ethyl-3-piperidyl benzilate.			
cc. l.	N-methyl-3-piperidyl benzilate.			
dd. m.	Psilocybin.			
ee.	Psilocyn.			
ff. n.	Tetrahydrocannabinols, meaning tetrahydrocannabinols naturally contained in a			
	plant of the genus Cannabis (cannabis plant), as well as synthetic equivalents of			
	the substances contained in the cannabis plant, or in the resinous extractives of			
	such plant, including synthetic substances, derivatives, and their isomers with			
	similar chemical structure and pharmacological activity to those substances			
	contained in the plant, such as the following:			
	(1) Delta-1 cis or trans tetrahydrocannabinol, and their optical isomers.			
	(2) Delta-6 cis or trans tetrahydrocannabinol, and their optical isomers.			
	(3) Delta-3,4 cis or trans tetrahydrocannabinol, and its optical isomers.			
	(Since nomenclature of these substances is not internationally standardized,			
	compounds of these structures, regardless of numerical designation of atomic			
	positions covered.)			
gg. o.	Cannabinoids, synthetic. This subdivision contains the synthetic chemicals which			
	have similar effects on the cannabinoid receptors. It includes the chemicals and			
	chemical groups listed below, including their homologues, salts, isomers, and			
	x.h. y. z.i. aa.j. bb.k. cc.l. dd.m. ee. ff.n.			

1	Sait	saits of isomers. The term "isomer" includes the optical, position, and geometric			
2	ison	omers.			
3	(1)	Napl	nthoylindoles. Any compound containing a 3-(1-naphthoyl)indole		
4		struc	ture with substitution at the nitrogen atom of the indole ring by an alkyl,		
5		halo	alkyl <u>, cyanoalkyl,</u> alkenyl, cycloalkylmethyl, cycloalkylethyl,		
6		1-(N	-methyl-2-piperidinyl)methyl or. 2-(4-morpholinyl)ethyl.		
7		<u>1-(N</u>	-methyl-2-pyrrolidinyl)methyl, 1-(N-methyl-3-morpholinyl)methyl, or		
8		(tetra	ahydropyran-4-yl)methyl group, whether or not further substituted in the		
9		indo	e ring to any extent and whether or not substituted in the naphthyl ring		
10		to ar	ny extent. Examples include:		
11		(a)	1-Pentyl-3-(1-naphthoyl)indole - Other names: JWH-018 and AM-678.		
12		(b)	1-Butyl-3-(1-naphthoyl)indole - Other names: JWH-073.		
13		(c)	1-Pentyl-3-(4-methoxy-1-naphthoyl)indole - Other names: JWH-081.		
14		(d)	1-[2-(4-morpholinyl)ethyl]-3-(1-naphthoyl)indole - Other names:		
15			JWH-200.		
16		(e)	1-Propyl-2-methyl-3-(1-naphthoyl)indole - Other names: JWH-015.		
17		(f)	1-Hexyl-3-(1-naphthoyl)indole - Other names: JWH-019.		
18		(g)	1-Pentyl-3-(4-methyl-1-naphthoyl)indole - Other names: JWH-122.		
19		(h)	1-Pentyl-3-(4-ethyl-1-naphthoyl)indole - Other names: JWH-210.		
20		(i)	1-Pentyl-3-(4-chloro-1-naphthoyl)indole - Other names: JWH-398.		
21		(j)	1-(5-fluoropentyl)-3-(1-naphthoyl)indole - Other names: AM-2201.		
22	(2)	Napl	nthylmethylindoles. Any compound containing a		
23		1H-iı	ndol-3-yl-(1-naphthyl)methane structure with substitution at the nitrogen		
24		aton	of the indole ring by an alkyl, haloalkyl, <u>cyanoalkyl,</u> alkenyl,		
25		cyclo	palkylmethyl, cycloalkylethyl, 1-(N-methyl-2-piperidinyl)methyl er_		
26		2-(4-	morpholinyl)ethyl, 1-(N-methyl-2-pyrrolidinyl)methyl,		
27		<u>1-(N</u>	-methyl-3-morpholinyl)methyl, or (tetrahydropyran-4-yl)methyl group		
28		whet	her or not further substituted in the indole ring to any extent and		
29		whet	her or not substituted in the naphthyl ring to any extent. Examples		
30		inclu	de:		
31		(a)	1-Pentyl-1H-indol-3-yl-(1-naphthyl)methane - Other names: JWH-175.		

1		(b) 1-Pentyl-1H-indol-3-yl-(4-methyl-1-naphthyl)methane - Other names:
2		JWH-184.
3	(3)	Naphthoylpyrroles. Any compound containing a 3-(1-naphthoyl)pyrrole
4		structure with substitution at the nitrogen atom of the pyrrole ring by an
5		alkyl, haloalkyl, <u>cyanoalkyl,</u> alkenyl, cycloalkylmethyl, cycloalkylethyl,
6		1-(N-methyl-2-piperidinyl)methyl ef. 2-(4-morpholinyl)ethyl.
7		1-(N-methyl-2-pyrrolidinyl)methyl, 1-(N-methyl-3-morpholinyl)methyl, or
8		(tetrahydropyran-4-yl)methyl group whether or not further substituted in the
9		pyrrole ring to any extent, whether or not substituted in the naphthyl ring to
10		any extent. Examples include:
11		(5-(2-fluorophenyl)-1-pentylpyrrol-3-yl)-naphthalen-1-ylmethanone - Other
12		names: JWH-307.
13	(4)	Naphthylmethylindenes. Any compound containing a naphthylideneindene
14		structure with substitution at the 3-position of the indene ring by an alkyl,
15		haloalkyl, cyanoalkyl, alkenyl, cycloalkylmethyl, cycloalkylethyl,
16		1-(N-methyl-2-piperidinyl)methyl or. 2 (4 morpholinyl)ethyl.
17		1-(N-methyl-2-pyrrolidinyl)methyl, 1-(N-methyl-3-morpholinyl)methyl, or
18		(tetrahydropyran-4-yl)methyl group whether or not further substituted in the
19		indene ring to any extent, whether or not substituted in the naphthyl ring to
20		any extent. Examples include:
21		E-1-[1-(1-Naphthalenylmethylene)-1H-inden-3-yl]pentane - Other names:
22		JWH-176.
23	(5)	Phenylacetylindoles. Any compound containing a 3-phenylacetylindole
24		structure with substitution at the nitrogen atom of the indole ring by an alkyl,
25		haloalkyl, cyanoalkyl, alkenyl, cycloalkylmethyl, cycloalkylethyl,
26		1-(N-methyl-2-piperidinyl)methyl of, 2-(4-morpholinyl)ethyl,
27		1-(N-methyl-2-pyrrolidinyl)methyl, 1-(N-methyl-3-morpholinyl)methyl, or
28		(tetrahydropyran-4-yl)methyl group whether or not further substituted in the
29		indole ring to any extent, whether or not substituted in the phenyl ring to any
30		extent. Examples include:

1		(a)	1-(2-cyclohexylethyl)-3-(2-methoxyphenylacetyl)indole - Other names:
2			RCS-8.
3		(b)	1-Pentyl-3-(2-methoxyphenylacetyl)indole - Other names: JWH-250.
4		(c)	1-Pentyl-3-(2-methylphenylacetyl)indole - Other names: JWH-251.
5		(d)	1-Pentyl-3-(2-chlorophenylacetyl)indole - Other names: JWH-203.
6	(6)	Cycl	lohexylphenols. Any compound containing a
7		2-(3	-hydroxycyclohexyl)phenol structure with substitution at the 5-position of
8		the p	phenolic ring by an alkyl, haloalkyl, <u>cyanoalkyl,</u> alkenyl, cycloalkylmethyl,
9		cyclo	oalkylethyl, 1-(N-methyl-2-piperidinyl)methyl or, 2-(4-morpholinyl)ethyl,
10		<u>1-(N</u>	l-methyl-2-pyrrolidinyl)methyl, 1-(N-methyl-3-morpholinyl)methyl, or
11		(tetra	ahydropyran-4-yl)methyl group whether or not substituted in the
12		cyclo	ohexyl ring to any extent. Examples include:
13		(a)	5-(1,1-dimethylheptyl)-2-[(1R,3S)-3-hydroxycyclohexyl]-phenol - Other
14			names: CP 47,497.
15		(b)	5-(1,1-dimethyloctyl)-2-[(1R,3S)-3-hydroxycyclohexyl]-phenol - Other
16			names: Cannabicyclohexanol and CP 47,497 C8 homologue.
17		(c)	5-(1,1-dimethylheptyl)-2-[(1R,2R)-5-hydroxy-2-(3-
18			hydroxypropyl)cyclohexyl]-phenol - Other names: CP 55,940.
19	(7)	Ben	zoylindoles. Any compound containing a 3-(benzoyl)indole structure with
20		subs	stitution at the nitrogen atom of the indole ring by an alkyl, haloalkyl,
21		<u>cyar</u>	noalkyl, alkenyl, cycloalkylmethyl, cycloalkylethyl,
22		1-(N	l-methyl-2-piperidinyl)methyl or, 2-(4-morpholinyl)ethyl,
23		<u>1-(N</u>	l-methyl-2-pyrrolidinyl)methyl, 1-(N-methyl-3-morpholinyl)methyl, or
24		(tetra	ahydropyran-4-yl)methyl group whether or not further substituted in the
25		indo	le ring to any extent and whether or not substituted in the phenyl ring to
26		any	extent. Examples include:
27		(a)	1-Pentyl-3-(4-methoxybenzoyl)indole - Other names: RCS-4.
28		(b)	(1-(5-fluoropentyl)-3-(2-iodobenzoyl)indole) - Other names: AM-694.
29		(c)	(4-Methoxyphenyl)-[2-methyl-1-(2-(4-morpholinyl)ethyl)indol-3-
30			yl]methanone - Other names: WIN 48,098 and Pravadoline.

1	(8)	<u>Tetra</u>	methylcyclopropanoylindoles. Any compound containing a
2		<u>3-tet</u>	ramethylcyclopropanoylindole structure with substitution at the nitrogen
3		atom	of the indole ring by an alkyl, haloalkyl, cyanoalkyl, alkenyl,
4		<u>cyclc</u>	palkylmethyl, cycloalkylethyl, 1-(N-methyl-2-piperidinyl)methyl,
5		<u>2-(4-</u>	morpholinyl)ethyl, 1-(N-methyl-2-pyrrolidinyl)methyl, 1-(N-methyl-3-
6		morp	pholinyl)methyl, or (tetrahydropyran-4-yl)methyl group whether or not
7		furth	er substituted in the indole ring to any extent and whether or not
8		subs	tituted in the tetramethylcyclopropanoyl ring to any extent.
9		<u>(a)</u>	(1-Pentylindol-3-yl)-(2,2,3,3-tetramethylcyclopropyl)methanone -
10			Other names: UR-144.
11		<u>(b)</u>	(1-(5-fluoropentyl)indol-3-yl)-(2,2,3,3-
12			tetramethylcyclopropyl)methanone - Other names: XLR-11.
13		<u>(c)</u>	(1-(2-morpholin-4-ylethyl)-1H-indol-3-yl)-(2,2,3,3-
14			tetramethylcyclopropyl)methanone - Other names: A-796,260.
15	<u>(9)</u>	Othe	rs specifically named:
16		(a)	(6aR,10aR)-9-(hydroxymethyl)-6,6-dimethyl-3-(2-methyloctan-2-yl)-
17			6a,7,10,10a-tetrahydrobenzo[c]chromen-1-ol - Other names: HU-210.
18		(b)	(6aS,10aS)-9-(hydroxymethyl)-6,6-dimethyl-3-(2-methyloctan-2-yl)-6a,
19			7,10,10a-tetrahydrobenzo[c]chromen-1-ol - Other names:
20			Dexanabinol and HU-211.
21		(c)	2,3-Dihydro-5-methyl-3-(4-morpholinylmethyl)pyrrolo[1,2,3-de]-1,4-
22			benzoxazin-6-yl]-1-napthalenylmethanone - Other names:
23			WIN 55,212-2.
24		<u>(d)</u>	1-[(N-methylpiperidin-2-yl)methyl]-3-(adamant-1-oyl)indole - Other
25			<u>names: AM-1248.</u>
26		<u>(e)</u>	N-Adamantyl-1-pentyl-1H-indole-3-carboxamide - Other names:
27			JWH-018 adamantyl carboxamide.
28		<u>(f)</u>	N-Adamantyl-1-fluoropentylindole-3-carboxamide - Other names:
29			STS-135.
30		<u>(g)</u>	N-Adamantyl-1-pentyl-1H-Indazole-3-carboxamide - Other names:
31			AKB 48.

1			<u>(h)</u>	1-Pentyl-3-(1-adamantoyl)indole - Other names: AB-001 and
2				JWH-018 adamantyl analog.
3			<u>(i)</u>	Naphthalen-1-yl-(4-pentyloxynaphthalen-1-yl)methanone - Other
4				names: CB-13.
5	<u>p.</u>	Sub	stitute	ed phenethylamines. This includes any compound, unless specifically
6		exce	epted,	specifically named in this schedule, or listed under a different
7		sche	edule,	structurally derived from phenylethan-2-amine by substitution on the
8		phe	nyl rin	g in any of the following ways, that is to say, by substitution with a fused
9		met	hylene	edioxy ring, fused furan ring, or fused tetrahydrofuran ring; by
10		sub	stitutio	on with two alkoxy groups; by substitution with one alkoxy and either
11		one	fused	furan, tetrahydrofuran, or tetrahydropyran ring system by substitution
12		with	two f	used ring systems from any combination of the furan, tetrahydrofuran,
13		or te	etrahy	dropyran ring systems.
14		<u>(1)</u>	Whe	ther or not the compound is further modified in any of the following
15			ways	s, that is to say:
16			<u>(a)</u>	By substitution of phenyl ring by any halo, hydroxyl, alkyl,
17				trifluoromethyl, alkoxy, or alkylthio groups;
18			<u>(b)</u>	By substitution at the 2-position by any alkyl groups; or
19			<u>(c)</u>	By substitution at the 2-amino nitrogen atom with alkyl, dialkyl, benzyl,
20				hydroxybenzyl, or methoxybenzyl groups.
21		<u>(2)</u>	Exar	mples include:
22			<u>(a)</u>	2-(4-Chloro-2,5-dimethoxyphenyl)ethanamine (also known as 2C-C or
23				2,5-Dimethoxy-4-chlorophenethylamine).
24			<u>(b)</u>	2-(2,5-Dimethoxy-4-methylphenyl)ethanamine (also known as 2C-D or
25				2,5-Dimethoxy-4-methylphenethylamine).
26			<u>(c)</u>	2-(2,5-Dimethoxy-4-ethylphenyl)ethanamine (also known as 2C-E or
27				2,5-Dimethoxy-4-ethylphenethylamine).
28			<u>(d)</u>	2-(2,5-Dimethoxyphenyl)ethanamine (also known as 2C-H or 2,5-
29				<u>Dimethoxyphenethylamine</u>).
30			<u>(e)</u>	2-(4-lodo-2,5-dimethoxyphenyl)ethanamine (also known as 2C-l or
31				2,5-Dimethoxy-4-iodophenethylamine).

1	<u>(f)</u>	2-(2,5-Dimethoxy-4-nitro-phenyl)ethanamine (also known as 2C-N or
2		2,5-Dimethoxy-4-nitrophenethylamine).
3	<u>(g)</u>	2-(2,5-Dimethoxy-4-(n)-propylphenyl)ethanamine (also known as 2C-
4		P or 2,5-Dimethoxy-4-propylphenethylamine).
5	<u>(h)</u>	2-[4-(Ethylthio)-2,5-dimethoxyphenyl]ethanamine (also known as 2C-
6		T-2 or 2,5-Dimethoxy-4-ethylthiophenethylamine).
7	<u>(i)</u>	2-[4-(Isopropylthio)-2,5-dimethoxyphenyl]ethanamine (also known as
8		2C-T-4 or 2,5-Dimethoxy-4-isopropylthiophenethylamine).
9	<u>(j)</u>	2-(4-bromo-2,5-dimethoxyphenyl)ethanamine (also known as 2C-B or
10		2,5-Dimethoxy-4-bromophenethylamine).
11	<u>(k)</u>	2-(2,5-dimethoxy-4-(methylthio)phenyl)ethanamine (also known as
12		2C-T or 4-methylthio-2,5-dimethoxyphenethylamine).
13	<u>(1)</u>	1-(2,5-dimethoxy-4-iodophenyl)-propan-2-amine (also known as DOI
14		or 2,5-Dimethoxy-4-iodoamphetamine).
15	<u>(m)</u>	1-(4-Bromo-2,5-dimethoxyphenyl)-2-aminopropane (also known as
16		DOB or 2,5-Dimethoxy-4-bromoamphetamine).
17	<u>(n)</u>	1-(4-chloro-2,5-dimethoxy-phenyl)propan-2-amine (also known as
18		DOC or 2,5-Dimethoxy-4-chloroamphetamine).
19	<u>(o)</u>	2-(4-bromo-2,5-dimethoxyphenyl)-N-[(2-
20		methoxyphenyl)methyl]ethanamine (also known as 2C-B-NBOMe;
21		2,5B-NBOMe or 2,5-Dimethoxy-4-bromo-N-(2-
22		methoxybenzyl)phenethylamine).
23	<u>(p)</u>	2-(4-iodo-2,5-dimethoxyphenyl)-N-[(2-
24		methoxyphenyl)methyl]ethanamine (also known as 2C-I-NBOMe; 2,5I-
25		NBOMe or 2,5-Dimethoxy-4-iodo-N-(2-
26		methoxybenzyl)phenethylamine).
27	<u>(p)</u>	N-(2-Methoxybenzyl)-2-(3,4,5-trimethoxyphenyl)ethanamine (also
28		known as mescaline-NBOMe or 3,4,5-trimethoxy-N-(2-
29		methoxybenzyl)phenethylamine).
30	<u>(r)</u>	2-(4-chloro-2,5-dimethoxyphenyl)-N-[(2-
31		methoxyphenyl)methyl]ethanamine (also known as 2C-C-NBOMe;

1		2,5C-NBOMe or 2,5-Dimethoxy-4-chloro-N-(2-
2		methoxybenzyl)phenethylamine).
3	<u>(s)</u>	2-(7-Bromo-5-methoxy-2,3-dihydro-1-benzofuran-4-yl)ethanamine
4		(also known as 2CB-5-hemiFLY).
5	<u>(t)</u>	2-(8-bromo-2,3,6,7-tetrahydrofuro [2,3-f][1]benzofuran-4-
6		yl)ethanamine (also known as 2C-B-FLY).
7	<u>(u)</u>	2-(10-Bromo-2,3,4,7,8,9-hexahydropyrano[2,3-g]chromen-5-
8		yl)ethanamine (also known as 2C-B-butterFLY).
9	<u>(v)</u>	N-(2-Methoxybenzyl)-1-(8-bromo-2,3,6,7-tetrahydrobenzo[1,2-b:4,5-
10		b']difuran-4-yl)-2-aminoethane (also known as 2C-B-FLY-NBOMe).
11	<u>(w)</u>	1-(4-Bromofuro[2,3-f][1]benzofuran-8-yl)propan-2-amine (also known
12		as bromo-benzodifuranyl-isopropylamine or bromo-dragonFLY).
13	<u>(x)</u>	N-(2-Hydroxybenzyl)-4-iodo-2,5-dimethoxyphenethylamine (also
14		known as 2C-I-NBOH or 2,5I-NBOH).
15	<u>(y)</u>	5-(2-Aminopropyl)benzofuran (also known as 5-APB).
16	<u>(z)</u>	6-(2-Aminopropyl)benzofuran (also known as 6-APB).
17	<u>(aa)</u>	5-(2-Aminopropyl)-2,3-dihydrobenzofuran (also known as 5-APDB).
18	<u>(bb)</u>	6-(2-Aminopropyl)-2,3,-dihydrobenzofuran (also known as 6-APDB).
19	<u>(cc)</u>	2,5-dimethoxy-amphetamine (also known as 2,5-dimethoxy-a-
20		methylphenethylamine; 2,5-DMA).
21	<u>(dd)</u>	2,5-dimethoxy-4-ethylamphetamine (also known as DOET).
22	<u>(ee)</u>	2,5-dimethoxy-4-(n)-propylthiophenethylamine (also known as 2C-T-
23		<u>7).</u>
24	<u>(ff)</u>	5-methoxy-3,4-methylenedioxy-amphetamine.
25	<u>(gg)</u>	4-methyl-2,5-dimethoxy-amphetamine (also known as 4-methyl-2,5-
26		dimethoxy-a-methylphenethylamine; DOM and STP).
27	<u>(hh)</u>	3,4-methylenedioxy amphetamine (also known as MDA).
28	<u>(ii)</u>	3,4-methylenedioxymethamphetamine (also known as MDMA).
29	(jj)	3,4-methylenedioxy-N-ethylamphetamine (also known as N-ethyl-
30		alpha-methyl-3,4(methylenedioxy)phenethylamine, MDE, MDEA).
31	<u>(kk)</u>	3,4,5-trimethoxy amphetamine.

1			(II) Mescaline (also known as 3,4,5-trimethoxyphenethylamine).
2	<u>q.</u>	Sub	stituted tryptamines. This includes any compound, unless specifically
3		exce	epted, specifically named in this schedule, or listed under a different
4		sche	edule, structurally derived from 2-(1H-indol-3-yl)ethanamine (i.e., tryptamine)
5		<u>by n</u>	nono- or di-substitution of the amine nitrogen with alkyl or alkenyl groups or
6		by ir	nclusion of the amino nitrogen atom in a cyclic structure whether or not the
7		com	pound is further substituted at the alpha-position with an alkyl group or
8		whe	ther or not further substituted on the indole ring to any extent with any alkyl,
9		alko	xy, halo, hydroxyl, or acetoxy groups. Examples include:
10		<u>(1)</u>	5-methoxy-N,N-diallyltryptamine (also known as 5-MeO-DALT).
11		<u>(2)</u>	4-acetoxy-N,N-dimethyltryptamine (also known as 4-AcO-DMT or O-
12			Acetylpsilocin).
13		<u>(3)</u>	4-hydroxy-N-methyl-N-ethyltryptamine (also known as 4-HO-MET).
14		<u>(4)</u>	4-hydroxy-N,N-diisopropyltryptamine (also known as 4-HO-DIPT).
15		<u>(5)</u>	5-methoxy-N-methyl-N-isopropyltryptamine (also known as 5-MeO-MiPT).
16		<u>(6)</u>	5-methoxy-N,N-dimethyltryptamine (also known as 5-MeO-DMT).
17		<u>(7)</u>	Bufotenine (also known as 3-(Beta-Dimethyl-aminoethyl)-5-hydroxyindole;
18			3-(2-dimethylaminoethyl)-5-indolol; N, N-dimethylserotonin; 5-hydroxy-N,N-
19			dimethyltryptamine; mappine).
20		<u>(8)</u>	5-methoxy-N,N-diisopropyltryptamine (also known as 5-MeO-DiPT).
21		<u>(9)</u>	Diethyltryptamine (also known as N,N-Diethyltryptamine; DET).
22		<u>(10)</u>	Dimethyltryptamine (also known as DMT).
23		<u>(11)</u>	Psilocyn.
24	<u>r.</u>	<u>1-[3</u>	-(trifluoromethylphenyl)]piperazine (also known as TFMPP).
25	<u>s.</u>	<u>1-[4</u>	-(trifluoromethylphenyl)]piperazine.
26	<u>t.</u>	<u>6,7-</u>	dihydro-5H-indeno-(5,6-d)-1,3-dioxol-6-amine (also known as 5,6-
27		Met	hylenedioxy-2-aminoindane or MDAI).
28	<u>u.</u>	<u>2-(E</u>	thylamino)-2-(3-methoxyphenyl)cyclohexanone (also known as
29		Met	hoxetamine or MXE).

1 Ethylamine analog of phencyclidine (also known as <u>hh.v.</u> 2 N-ethyl-1-phenylcyclohexylamine, (1-phenylcyclohexyl) ethylamine, 3 N-(1-phenylcyclohexyl) ethylamine, cyclohexamine, PCE). 4 Pyrrolidine analog of phencyclidine (also known as ii.W. 5 1-(1-phenylcyclohexyl)-pyrrolidine, PCPy, PHP). 6 ij.X. Thiophene analog of phencyclidine (also known as (1-[1-(2-thienyl) cyclohexyl] 7 piperidine; 2-Thienylanalog of phencyclidine; TPCP, TCP). 8 1-[1-(2-thienyl)cyclohexyl]pyrrolidine (also known as TCPy). <u>kk.y.</u> 9 <u>₩.z.</u> Salvia divinorum, salvinorin A, or any of the active ingredients of salvia divinorum. 10 6. Depressants. Unless specifically excepted or unless listed in another schedule, any 11 material compound, mixture, or preparation which contains any quantity of the 12 following substances having a depressant effect on the central nervous system, 13 whenever the existence of such salts, isomers, and salts of isomers is possible within 14 the specific chemical designation: 15 a. Flunitrazepam. 16 Gamma-hydroxybutyric acid. b. 17 Mecloqualone. C. 18 d. Methaqualone. 19 7. Stimulants. Unless specifically excepted or unless listed in another schedule, any 20 material, compound, mixture, or preparation which contains any quantity of the 21 following substances having a stimulant effect on the central nervous system, 22 including its salts, isomers, and salts of isomers: 23 Aminorex (also known as 2-amino-5-phenyl-2-oxazoline, or a. 24 4,5-dihydro-5-phenyl-2-oxazolamine). 25 b. Cathinone (also known as 2-amino-1-phenyl-1-propanone, 26 alpha-aminopropiophenone, 2-aminopropiophenone, and norephedrone). 27 Substituted cathinones. Any compound, material, mixture, preparation, or other C. 28 product, unless listed in another schedule or an approved food and drug 29 administration drug (e.g., buproprion, pyrovalerone), structurally derived from 2-30 aminopropan-1-one by substitution at the 1-position with either phenyl, naphthyl,

1	or th	<u>iopher</u>	ne ring systems, whether or not the compound is further modified in
2	any	of the	following ways:
3	<u>(1)</u>	By su	ibstitution in the ring system to any extent with alkyl, alkylenedioxy,
4		<u>alkox</u>	y, haloalkyl, hydroxyl, or halide substituents, whether or not further
5		subst	ituted in the ring system by one or more other univalent substitutents;
6	<u>(2)</u>	By su	ibstitution at the 3-position with an acyclic alkyl substituent;
7	<u>(3)</u>	By su	ubstitution at the 2-amino nitrogen atom with alkyl, dialkyl, benzyl, or
8		meth	oxybenzyl groups; or
9	<u>(4)</u>	By in	clusion of the 2-amino nitrogen atom in a cyclic structure.
10		Some	e trade or other names:
11		<u>(a)</u>	3,4-Methylenedioxy-alpha-pyrrolidinopropiophenone (also known as
12			MDPPP).
13		<u>(b)</u>	3,4-Methylenedioxy-N-ethylcathinone (also known as Ethylone,
14			MDEC, or bk-MDEA).
15		<u>(c)</u>	3,4-Methylenedioxy-N-methylcathinone (also known as Methylone or
16			bk-MDMA).
17		<u>(d)</u>	3,4-Methylenedioxypyrovalerone (also known as MDPV).
18		<u>(e)</u>	3,4-Dimethylmethcathinone (also known as 3,4-DMMC).
19		<u>(f)</u>	2-(methylamino)-1-phenylpentan-1-one (also known as Pentedrone).
20		<u>(g)</u>	2-Fluoromethcathinone.
21		<u>(h)</u>	3-Fluoromethcathinone.
22		<u>(i)</u>	4-Methylethcathinone (also known as 4-MEC).
23		<u>(j)</u>	4-Fluoromethcathinone (also known as Flephedrone).
24		<u>(k)</u>	4-Methoxy-alpha-pyrrolidinopropiophenone (also known as MOPPP).
25		<u>(I)</u>	4-Methoxymethcathinone (also known as Methedrone; bk-PMMA).
26		<u>(m)</u>	4'-Methyl-alpha-pyrrolidinobutiophenone (also known as MPBP).
27		<u>(n)</u>	Alpha-methylamino-butyrophenone (also known as Buphedrone or
28			MABP).
29		<u>(o)</u>	Alpha-pyrrolidinobutiophenone (also known as alpha-PBP).
30		<u>(p)</u>	Alpha-pyrrolidinopropiophenone (also known as alpha-PPP).

1		<u>(q)</u>	Alpha-pyrrolidinopentiophenone (also known as Alpha-		
2			pyrrolidinovalerophenone or alpha-PVP).		
3		<u>(r)</u>	Beta-keto-N-methylbenzodioxolylbutanamine (also known as Butylone		
4			or bk-MBDB).		
5		<u>(s)</u>	Ethcathinone (also known as N-Ethylcathinone).		
6		<u>(t)</u>	4-Methylmethcathinone (also known as Mephedrone or 4-MMC).		
7		<u>(u)</u>	Methcathinone.		
8		<u>(v)</u>	N,N-dimethylcathinone (also known as metamfepramone).		
9		<u>(w)</u>	Naphthylpyrovalerone (naphyrone).		
10	<u>d</u>	. Fenethylli	ne.		
11	<u>e</u>	. Fluoroam	phetamine.		
12	<u>f</u>	. Fluorome	thamphetamine.		
13	d	. Mephedro	one (2-methylamino-1-p-tolylpropan-1-one) also known as		
14		4-methyln	nethcathinone (4-MMC), 4-methylephedrone.		
15	e.g	<u>.</u> (±)cis-4-m	nethylaminorex (also known as		
16		(±)cis-4,5	-dihydro-4-methyl-5-phenyl-2-oxazolamine).		
17	f	3,4-Methy	rlenedioxypyrovalerone (MDPV).		
18	9	. Methcathi	none (also known as (2-methylamino-1-phenylpropan-1-one).		
19	h	. N-Benzyl	piperazine (also known as BZP, 1-benzylpiperazine).		
20	i	. N-ethylan	nphetamine.		
21	j	. N, N-dime	ethylamphetamine (also known as		
22		N,N-alpha	a-trimethyl-benzeneethanamine; N,N-alpha-trimethylphenethylamine).		
23	SECTION 2. AMENDMENT. Section 19-03.1-09 of the North Dakota Century Code is				
24	amended a	and reenacted	l as follows:		
25	19-03.	1-09. Schedu	ile III.		
26	1. T	he controlled	substances listed in this section are included in schedule III.		
27	2. S	chedule III co	nsists of the drugs and other substances, by whatever official name,		
28	С	ommon or us	ual name, chemical name, or brand name designated, listed in this		
29	S	ection.			
30	3. S	timulants. Un	less specifically excepted or unless listed in another schedule, any		
31	m	naterial comp	ound mixture or preparation which contains any quantity of the		

1 following substances having a stimulant effect on the central nervous system, 2 including its salts, isomers (whether optical, position, or geometric), and salts of such 3 isomers whenever the existence of such salts, isomers, and salts of isomers is 4 possible within the specific chemical designation: 5 Those compounds, mixtures, or preparations in dosage unit form containing any 6 stimulant substances listed in schedule II and any other drug of the quantitative 7 composition shown in that schedule for those drugs or which is the same except 8 that it contains a lesser quantity of controlled substances. 9 b. Benzphetamine. 10 Chlorphentermine. C. 11 d. Clortermine. 12 Phendimetrazine. 13 Depressants. Unless specifically excepted or unless listed in another schedule, any 14 material, compound, mixture, or preparation that contains any quantity of the following 15 substances having a depressant effect on the central nervous system: 16 Any compound, mixture, or preparation containing: 17 Amobarbital; (1) 18 (2) Secobarbital; 19 Pentobarbital; 20 or any salt thereof and one or more other active medicinal ingredients which are 21 not listed in any schedule. 22 Any suppository dosage form containing: b. 23 (1) Amobarbital; 24 (2) Secobarbital; 25 (3) Pentobarbital; 26 or any salt of any of these drugs and approved by the food and drug 27 administration for marketing only as a suppository. 28 Any substance that contains any quantity of a derivative of barbituric acid, or any 29 salt of a derivative of barbituric acid, except those substances which are 30 specifically listed in other schedules thereof. 31 Chlorhexadol. d.

1		e.	Emb	outramide.		
2		f.	Gan	nma-hydroxybutyric acid in a United States food and drug		
3			adm	ninistration-approved drug product.		
4		g.	Keta	amine.		
5		h.	Lyse	ergic acid.		
6		i.	Lyse	ergic acid amide.		
7		j.	Methyprylon.			
8		k.	Sulf	Sulfondiethylmethane.		
9		l.	Sulfonethylmethane.			
0		m.	Sulfonmethane.			
11		n.	Tilet	tamine and zolazepam or any salt thereof. Some trade or other names for a		
2			tileta	amine-zolazepam combination product: Telazol. Some trade or other names		
3			for t	iletamine: 2-(ethylamino)-2-(2-thienyl)-cyclohexanone. Some trade or other		
4			nam	nes for zolazepam: 4-2(2-fluorophenyl)-6,		
5			8-di	hydro-1,3,8-trimethylpyrazolo-[3,4-e][1,4]-diazepin-7(1H)-one, flupyrazapon.		
6	5.	Nal	orphir	ne.		
7	6.	Nar	cotic	drugs. Unless specifically excepted or unless listed in another schedule, any		
8		mat	erial,	compound, mixture, or preparation that contains any of the following narcotic		
9		dru	rugs, or their salts calculated as the free anhydrous base or alkaloid, in limited			
20		quantities as set forth below:				
21		a.	(1)	Not more than 1.80 grams of codeine per 100 milliliters or not more than		
22				90 milligrams per dosage unit, with an equal or greater quantity of an		
23				isoquinoline alkaloid of opium.		
24			(2)	Not more than 1.80 grams of codeine per 100 milliliters or not more than		
25				90 milligrams per dosage unit, with one or more active, nonnarcotic		
26				ingredients in recognized therapeutic amounts.		
27			(3)	Not more than 300 milligrams of hydrocodone per 100 milliliters or not more		
28				than 15 milligrams per dosage unit, with a fourfold or greater quantity of an		
<u> 29</u>				isoquinoline alkaloid of opium.		

1 (4) Not more than 300 milligrams of hydrocodone per 100 milliliters or not more 2 than 15 milligrams per dosage unit, with one or more active, nonnarcotic 3 ingredients in recognized therapeutic amounts. 4 Not more than 1.80 grams of dihydrocodeine per 100 milliliters or not more (5) 5 than 90 milligrams per dosage unit, with one or more active, nonnarcotic 6 ingredients in recognized therapeutic amounts. 7 Not more than 300 milligrams of ethylmorphine per 100 milliliters or not (6) 8 more than 15 milligrams per dosage unit, with one or more active, 9 nonnarcotic ingredients in recognized therapeutic amounts. 10 (7) Not more than 500 milligrams of opium per 100 milliliters or per 100 grams, 11 or not more than 25 milligrams per dosage unit, with one or more active, 12 nonnarcotic ingredients in recognized therapeutic amounts. 13 Not more than 50 milligrams of morphine per 100 milliliters or per 100 grams 14 with one or more active, nonnarcotic ingredients in recognized therapeutic 15 amounts. 16 b. Buprenorphine. 17 7. Anabolic steroids. Unless specifically excepted or unless listed in another schedule, 18 any material, compound, mixture, or preparation that contains any of the following 19 anabolic steroids: 20 3beta,17-dihydroxy-5a-androstane; a. 21 b. 3alpha,17beta-dihydroxy-5a-androstane; 22 5alpha-androstan-3,17-dione; C. 23 d. 1-androstenediol (3beta,17beta-dihydroxy-5alpha-androst-1-ene); 24 e. 1-androstenediol (3alpha,17beta-dihydroxy-5alpha-androst-1-ene); 25 f. 4-androstenediol (3beta,17beta-dihydroxy-4-ene); 26 5-androstenediol (3beta,17beta-dihydroxy-androst-5-ene); g. 27 h. 1-androstenedione ([5alpha]-androst-1-en-3,17-dione); 28 4-androstenedione (androst-4-en-3,17-dione); i. 29 5-androstenedione (androst-5-en-3.17-dione): j. 30 k. Bolasterone (7alpha,17alpha-dimethyl-17beta-hydroxyandrost-4-en-3-one); 31 Boldenone (17beta-hydroxyandrost-1,4,-diene-3-one); Ι.

1 Boldione (androsta-1,4-diene-3,17-dione); m. 2 Calusterone (7beta,17alpha-dimethyl-17beta-hydroxyandrost-4-en-3-one); n. 3 0. Clostebol (4-chloro-17beta-hydroxyandrost-4-en-3-one); 4 Dehydrochloromethyltestosterone p. 5 (4-chloro-17beta-hydroxy-17alpha-methyl-androst-1,4-dien-3-one); 6 Delta-1-dihydrotestosterone (also known as '1-testosterone') q. 7 (17beta-hydroxy-5alpha-androst-1-en-3-one); 8 Desoxymethyltestosterone (17a-methyl-5a-androst-2-en-17ol) (also known as 9 madol); 10 4-dihydrotestosterone (17beta-hydroxy-androstan-3-one); S. 11 t. Drostanolone (17beta-hydroxy-2alpha-methyl-5alpha-androstan-3-one); 12 Ethylestrenol (17alpha-ethyl-17beta-hydroxyestr-4-ene); u. 13 Fluoxymesterone (9-fluoro-17alpha-methyl-11beta, ٧. 14 17beta-dihydroxyandrost-4-en-3-one); 15 Formebolone (2-formyl-17alpha-methyl-11alpha, W. 16 17beta-dihydroxyandrost-1,4-dien-3-one); 17 Furazabol (17alpha-methyl-17beta-hydroxyandrostano[2,3-c]-furazan); Χ. 18 y. 13beta-ethyl-17alpha-hydroxygon-4-en-3-one; 19 4-hydroxytestosterone (4,17beta-dihydroxy-androst-4-en-3-one); z. 20 4-hydroxy-19-nortestosterone (4,17beta-dihydroxy-estr-4-en-3-one); aa. 21 bb. Mestanolone (17alpha-methyl-17beta-hydroxy-5-androstan-3-one); 22 Mesterolone (1alpha-methyl-17beta-hydroxy-[5alpha]-androstan-3-one); CC. 23 dd. Methandienone (17alpha-methyl-17beta-dihydroxyandrost-1,4-dien-3-one); 24 ee. Methandriol (17alpha-methyl-3beta,17beta-dihydroxyandrost-5-ene); 25 ff. Methasterone (2[alpha],17[alpha]-dimethyl-5[alpha]-androstan-17[beta]-ol-3-one); 26 Methenolone (1-methyl-17beta-hydroxy-5alpha-androst-1-en-3-one); gg. 27 gg.hh. 17alpha-methyl-3beta,17beta-dihydroxy-5a-androstane; 28 hh.ii. 17alpha-methyl-3alpha,17beta-dihydroxy-5a-androstane; 29 17alpha-methyl-3beta,17beta-dihyroxyandrost-4-ene; ||.|∐. 30 jj.kk. 17alpha-methyl-4-hydroxynandrolone 31 (17alpha-methyl-4-hydroxy-17beta-hydroxyestr-4-en-3-one);

```
1
                     Methyldienolone (17alpha-methyl-17beta-hydroxyestra-4,9(10)-dien-3-one);
             kk.II.
 2
                     Methyltrienolone (17alpha-methyl-17beta-hydroxyestra-4,9(11)-trien-3-one);
            <del>Ⅱ.</del>mm.
 3
            mm.nn. Methyltestosterone (17alpha-methyl-17beta-hydroxyandrost-4-en-3-one);
 4
                    Mibolerone (7alpha, 17alpha-dimethyl-17beta-hydroxyestr-4-en-3-one);
            <del>nn.</del>00.
 5
                    17alpha-methyl-delta1-dihydrotestosterone
            <del>00.</del>pp.
 6
                     (17bbeta-hydroxy-17alpha-methyl-5alpha-androst-1-en-3-one) (also known as
 7
                     '17-alpha-methyl-1-testosterone');
 8
                    Nandrolone (17beta-hydroxyestr-4-en-3-one);
            pp.qq.
 9
                     19-nor-4-androstenediol (3beta,17beta-dihydroxyestr-4-ene);
            <del>qq.</del>rr.
10
            <del>rr.</del>ss.
                     19-nor-4-androstenediol (3alpha,17beta-dihydroxyestr-4-ene);
11
            <del>ss.</del>tt.
                     19-nor-5-androstenediol (3beta,17beta-dihydroxyestr-5-ene);
12
            tt.uu.
                     19-nor-5-androstenediol (3alpha,17-beta-dihydroxyester-5-ene);
13
                     19-nor-4-androstenedione (estr-4-en-3,17-dione);
            <del>uu.</del>vv.
14
            vv.ww. 19-nor-4.9(10)-androstadienedione (estra-4.9(10)-diene-3.17-dione);
15
            ww.xx. 19-nor-5-androstenedione (estr-5-en-3,17-dione);
16
                     Norboletheone (13beta,17alpha-diethyl-17beta-hydroxygon-4-en-3-one);
            <del>XX.</del><u>VV.</u>
17
                    Norclostebol (4-chloro-17beta-hydroxyestr-4-en-3-one);
            <del>∀∀.</del>ZZ.
18
            zz.aaa. Norethandrolone (17alpha-ethyl-17beta-hydroxyestr-4-en-3-one);
19
                            Normethandrolone (17alpha-methyl-17beta-hydroxyestr-4-en-3-one);
            aaa.bbb.
20
            bbb.ccc.
                            Oxandrolone
21
                     (17alpha-methyl-17beta-hydroxy-2-oxa-[5alpha]-androstan-3-one);
22
            ecc.ddd.
                            Oxymesterone (17alpha-methyl-4-17beta-dihydroxyandrost-4-en-3-one);
23
            ddd.eee.
                            Oxymetholone (17alpha-methyl-2-hydroxymethylene-17beta-hydroxy
24
                     [5alpha]-androstan-3-one);
25
            eee.fff. Stanozolol
26
                     (17alpha-methyl-17beta-hydroxy[5alpha]-androst-2-eno[3,2-c]-pyrazole);
27
            fff.ggg. Stenbolone (17beta-hydroxy-2-methyl-[5alpha]-androst-1-en-3-one);
28
                            Prostanozol (17[beta]- hydroxy-5[alpha]-androstano[3,2-c]pyrazole);
            <del>ggg.</del>hhh.
29
                     Testolactone (13-hydroxy-3-oxo-13,17-secoandrosta-1,4-dien-17-oic acid
               iii.
30
                     lactone);
31
            hhh.jiji. Testosterone (17beta-hydroxyandrost-4-en-3-one);
```

28

29

30

system.

	209.0.40		
1	III.	kkk.	Tetrahydrogestrinone
2			(13beta,17alpha-diethyl-17beta-hydroxygon-4,9,11-trien-3-one);
3	jjj	<u>-∭.</u>	Trenbolone (17beta-hydroxyestr-4,9,11-trien-3-one);
4			or any salt, ester, or isomer of a drug or substance described or listed in this
5			subsection, if that salt, ester, or isomer promotes muscle growth.
6		The	term does not include an anabolic steroid that is expressly intended for
7		adm	ninistration through implants to cattle or other nonhuman species and which has
8		bee	n approved by the secretary of health and human services for administration
9		unle	ess any person prescribes, dispenses, possesses, delivers, or distributes for
10		hum	nan use.
11	8.	Hall	ucinogenic substances.
12		a.	Dronabinol (synthetic) [(-)-delta-9-(trans)-tetrahydrocannabinol] in sesame oil and
13			encapsulated in a soft gelatin capsule in a United States food and drug
14			administration-approved drug product.
15		b.	Any product in hard or soft gelatin capsule form containing natural dronabinol
16			(derived from the cannabis plant) or synthetic dronabinol (produced from
17			synthetic materials) in sesame oil, for which an abbreviated new drug application
18			has been approved by the food and drug administration under section 505(j) of
19			the Federal Food, Drug, and Cosmetic Act [21 U.S.C. 355(j)] which references as
20			its listed drug the drug product referred to in subdivision a.
21	9.	The	board may except by rule any compound, mixture, or preparation containing any
22		stim	ulant or depressant substance listed in subsections 3 and 4 from the application of
23		all o	or any part of this chapter if the compound, mixture, or preparation contains one or
24		mor	e active medicinal ingredients not having a stimulant or depressant effect on the
25		cent	tral nervous system, and if the admixtures are included therein in combinations,
26		qua	ntity, proportion, or concentration that vitiate the potential for abuse of the
27		sub	stances which have a stimulant or depressant effect on the central nervous

SECTION 3. AMENDMENT. Section 19-03.1-11 of the North Dakota Century Code is amended and reenacted as follows:

1 19-03.1-11. Schedule IV.

- The controlled substances listed in this section are included in schedule IV.
- 3 2. Schedule IV consists of the drugs and other substances, by whatever official name,
- 4 common or usual name, chemical name, or brand name designated, listed in this
- 5 section.

10

11

12

13

14

- Narcotic drugs. Unless specifically excepted or unless listed in another schedule, any material, compound, mixture, or preparation containing any of the following narcotic drugs or their salts calculated as the free anhydrous base or alkaloid, in limited quantities as set forth below:
 - a. Not more than 1 milligram of difenoxin and not less than 25 micrograms of atropine sulfate per dosage unit.
 - b. Dextropropoxyphene (also known as alpha-(+)-4-dimethylamino-1,2-diphenyl-3-methyl-2-propionoxybutane).
 - <u>c.</u> <u>Tramadol.</u>
- Depressants. Unless specifically excepted or unless listed in another schedule, any material, compound, mixture, or preparation containing any quantity of the following substances, including their salts, isomers, and salts of isomers whenever the existence of those salts, isomers, and salts of isomers is possible within the specific chemical designation:
- a. Alprazolam.
- b. Barbital.
- c. Bromazepam.
- d. Camazepam.
- e. Carisoprodol.
- 25 f. Chloral betaine.
- g. Chloral hydrate.
- h. Chlordiazepoxide.
- i. Clobazam.
- j. Clonazepam.
- 30 k. Clorazepate.
- 31 I. Clotiazepam.

1	m.	Cloxazolam.
2	n.	Delorazepam.
3	0.	Diazepam.
4	p.	Dichloralphenazone.
5	q.	Estazolam.
6	r.	Ethchlorvynol.
7	S.	Ethinamate.
8	t.	Ethyl loflazepate.
9	u.	Fludiazepam.
10	V.	Flurazepam.
11	W.	Fospropofol.
12	Χ.	Halazepam.
13	y.	Haloxazolam.
14	Z.	Indiplon.
15	aa.	Ketazolam.
16	bb.	Loprazolam.
17	CC.	Lorazepam.
18	dd.	Lormetazepam.
19	ee.	Mebutamate.
20	ff.	Medazepam.
21	gg.	Meprobamate.
22	hh.	Methohexital.
23	ii.	Methylphenobarbital (also known as mephobarbital).
24	jj.	Midazolam.
25	kk.	Nimetazepam.
26	II.	Nitrazepam.
27	mm.	Nordiazepam.
28	nn.	Oxazepam.
29	00.	Oxazolam.
30	pp.	Paraldehyde.
31	qq.	Petrichloral.

1 Phenobarbital. rr. 2 SS. Pinazepam. 3 tt. Propofol. 4 uu. Prazepam. 5 Quazepam. VV. 6 WW. Temazepam. 7 XX. Tetrazepam. 8 Triazolam. yy. 9 ZZ. Zaleplon. 10 aaa. Zolpidem. 11 bbb. Zopiclone. 12 5. Fenfluramine. Any material, compound, mixture, or preparation which contains any 13 quantity of the following substances, including its salts, isomers (whether optical, 14 position, or geometric), and salts of such isomers, whenever the existence of such 15 salts, isomers, and salts of isomers is possible: Fenfluramine. 16 Stimulants. Unless specifically excepted or unless listed in another schedule, any 17 material, compound, mixture, or preparation which contains any quantity of the 18 following substances having a stimulant effect on the central nervous system, 19 including its salts, isomers, and salts of isomers: 20 Cathine. a. 21 b. Diethylpropion. 22 Fencamfamin. C. 23 d. Fenproporex. 24 e. Mazindol. 25 f. Mefenorex. 26 Modafinil. g. 27 h. Pemoline (including organometallic complexes and chelates thereof). 28 Phentermine. i. 29 j. Pipradrol. 30 k. Sibutramine. 31 I. SPA ((-)-1-dimethylamino-1, 2-diphenylethane).

3

4

5

6

7

8

9

10

11

12

13

14

15

19

20

21

22

23

24

25

26

27

28

29

30

- Other substances. Unless specifically excepted or unless listed in another schedule,
 any material, compound, mixture, or preparation which contains any quantity of:
 - a. Pentazocine, including its salts.
 - b. Butorphanol, including its optical isomers.
 - 8. The board may except by rule any compound, mixture, or preparation containing any depressant substance listed in subsection 2 from the application of all or any part of this chapter if the compound, mixture, or preparation contains one or more active medicinal ingredients not having a depressant effect on the central nervous system, and if the admixtures are included therein in combinations, quantity, proportion, or concentration that vitiate the potential for abuse of the substances which have a depressant effect on the central nervous system.
 - **SECTION 4. AMENDMENT.** Section 19-03.1-13 of the North Dakota Century Code is amended and reenacted as follows:

19-03.1-13. Schedule V.

- The controlled substances listed in this section are included in schedule V.
- Schedule V consists of the drugs and other substances, by whatever official name,
 common or usual name, chemical name, or brand name designated, listed in this
 section.
 - 3. Narcotic drugs. Unless specifically excepted or unless listed in another schedule, any material, compound, mixture, or preparation containing any of the following narcotic drugs and their salts.
 - 4. Narcotic drugs containing nonnarcotic active medicinal ingredients. Any compound, mixture, or preparation containing any of the following narcotic drugs, or their salts calculated as the free anhydrous base or alkaloid, in limited quantities as set forth below, which includes one or more nonnarcotic active medicinal ingredients in sufficient proportion to confer upon the compound, mixture, or preparation valuable medicinal qualities other than those possessed by narcotic drugs alone.
 - a. Not more than 200 milligrams of codeine per 100 milliliters or per 100 grams.
 - Not more than 100 milligrams of dihydrocodeine per 100 milliliters or per 100 grams.

1 Not more than 100 milligrams of ethylmorphine per 100 milliliters or per 2 100 grams. 3 d. Not more than 2.5 milligrams of diphenoxylate and not less than 25 micrograms 4 of atropine sulfate per dosage unit. 5 Not more than 100 milligrams of opium per 100 milliliters or per 100 grams. e. 6 f. Not more than 0.5 milligram of difenoxin and not less than 25 micrograms of 7 atropine sulfate per dosage unit. 8 5. Depressants. Unless specifically exempted or excluded or unless listed in another 9 schedule, any material, compound, mixture, or preparation that contains any quantity 10 of the following substances having a depressant effect on the central nervous system, 11 including its salts, isomers, and salts of isomers whenever the existence of such salts, 12 isomers, and salts of isomers is possible: 13 Ezogabine N-[2-amino-4-(4-fluorobenzylamino)-phenyl]-carbamic acid ethyl ester. 14 Lacosamide [(R)-2-acetoamido-N-benzyl-3-methoxy-propionamide]. <u>b.</u> 15 b.c. Pregabalin [(S)-3-(aminomethyl)-5-methylhexanoic acid]. 16 Stimulants. Unless specifically exempted or excluded or unless listed in another 17 schedule, any material, compound, mixture, or preparation containing any quantity of 18 the following substances having a stimulant effect on the central nervous system, 19 including their salts, isomers, and salts of isomers: Pyrovalerone.