

OCT 01 2015



**NORTH DAKOTA**  
DEPARTMENT *of* HEALTH

ENVIRONMENTAL HEALTH SECTION  
Gold Seal Center, 918 E. Divide Ave.  
Bismarck, ND 58501-1947  
701.328.5200 (fax)  
www.ndhealth.gov



October 1, 2015

Vonette J. Richter  
Assistant Code Revisor  
North Dakota Legislative Council  
600 East Boulevard Avenue  
Bismarck, ND 58505-0360

Re: Notice of Intent to Amend  
N.D.A.C. Art. 33-17

Dear Ms. Richter:

The Notice of Intent to Amend N.D.A.C Art. 33-17, Public Water Supply Systems and a copy of the proposed rules are enclosed as required by N.D.C.C. subsection 28-32-10(1).

Sincerely,

A handwritten signature in cursive script that reads "D. Wayne Kern".

D. Wayne Kern, P.E.  
Director  
Division of Municipal Facilities

DWK:tml

Enc:

xc: L.David Glatt, NDDH


## NOTICE OF INTENT TO AMEND ADMINISTRATIVE RULES

TAKE NOTICE that the ND Department of Health will hold a public hearing to address proposed amendments to N.D. Admin. Code Article 33-17, Public Water Supply Systems, at 10:00 a.m. CDT on Wednesday, October 21, 2015, at the Environmental Training Center, 2639 East Main Avenue, Bismarck, ND 58504. The purpose of the proposed amendments is to ensure compliance with regulations adopted by the U.S. Environmental Protection Agency pursuant to the federal Safe Drinking Water Act. The proposed amendments address the Revised Total Coliform Rule. The proposed amendments are not expected to have an impact on the regulated community in excess of \$50,000.

The proposed amendments may be reviewed at the office of the ND Department of Health, Division of Municipal Facilities, 918 East Divide Avenue, 3<sup>rd</sup> Floor, Bismarck, ND 58501-1947. A copy of the proposed amendments and/or a regulatory analysis may be requested by writing the above address or calling 701-328-5211. Written or oral data, views, or arguments on the proposed amendments sent to the above address or telephone number, and received by November 2, 2015, will be fully considered.

If you plan to attend the public hearing, and will need special facilities or assistance relating to a disability, please contact the ND Department of Health at the above telephone number or address at least three (3) days prior to the public hearing.

Dated this 1<sup>ST</sup> day of OCTOBER, 2015;



D. Wayne Kern, P.E.  
Director  
Division of Municipal Facilities