

Sixty-fourth  
Legislative Assembly  
of North Dakota

## ENGROSSED SENATE BILL NO. 2100

Introduced by

Judiciary Committee

(At the request of the State Board of Pharmacy)

1 A BILL for an Act to amend sections 19-03.1-05, 19-03.1-09, and 19-03.1-11 of the North  
2 Dakota Century Code, relating to the scheduling of controlled substances; and to declare an  
3 emergency.

4 **BE IT ENACTED BY THE LEGISLATIVE ASSEMBLY OF NORTH DAKOTA:**

5 **SECTION 1. AMENDMENT.** Section 19-03.1-05 of the North Dakota Century Code is  
6 amended and reenacted as follows:

7 **19-03.1-05. Schedule I.**

- 8 1. The controlled substances listed in this section are included in schedule I.  
9 2. Schedule I consists of the drugs and other substances, by whatever official name,  
10 common or usual name, chemical name, or brand name designated, listed in this  
11 section.  
12 3. Opiates. Unless specifically excepted or unless listed in another schedule, any of the  
13 following opiates, including their isomers, esters, ethers, salts, and salts of isomers,  
14 esters, and ethers, whenever the existence of those isomers, esters, ethers, and salts  
15 is possible within the specific chemical designation:  
16 a. Acetyl-alpha-methylfentanyl (also known as N-[1-(1-methyl-2-phenethyl)-4-  
17 piperidinyl]-N-phenylacetamide).  
18 b. Acetylfentanyl (also known as N-(1-phenethylpiperidin-4-yl)-N-phenylacetamide).  
19 c. Acetylmethadol.  
20 ~~e.d.~~ Allylprodine.  
21 ~~d.e.~~ Alphacetylmethadol.  
22 ~~e.f.~~ Alphameprodine.  
23 ~~f.g.~~ Alphamethadol.



Sixty-fourth  
Legislative Assembly

- 1        hh-ii.    3-Methylfentanyl (also known as N-[3-methyl-1-(2-phenylethyl) 4-piperidyl]-N-
- 2                    phenylpropanamide).
- 3        ii-jj.    3-Methylthiofentanyl (also known as N-[3-methyl-1-(2- thienyl)ethyl-4-piperidiny]-
- 4                    N-phenylpropanamide).
- 5        jj-kk.    Morpheridine.
- 6        kk-ll.    MPPP (also known as 1-methyl-4-phenyl-4-propionoxypiperidine).
- 7        ll-mm.    Noracymethadol.
- 8        mm-nn. Norlevorphanol.
- 9        nn-oo.    Normethadone.
- 10       oo-pp.    Norpipanone.
- 11       pp-qq.    Para-fluorofentanyl (also known as N-(4-fluorophenyl)-N-[1-(2- phenethyl)-4-
- 12                    piperidiny] propanamide).
- 13       qq-rr.    PEPAP (1-(2-Phenylethyl)-4-Phenyl-4-acetoxypiperidine).
- 14       rr-ss.    Phenadoxone.
- 15       ss-tt.    Phenampromide.
- 16       tt-uu.    Phenomorphan.
- 17       uu-vv.    Phenoperidine.
- 18       vv-ww.    Piritramide.
- 19       ww-xx.    Proheptazine.
- 20       xx-yy.    Properidine.
- 21       yy-zz.    Propiram.
- 22       zz-aaa.    Racemoramide.
- 23       aaa-bbb.        Thiofentanyl (also known as N-phenyl-N-[1-(2-thienyl)ethyl-4- piperidiny]-
- 24                    propanamide).
- 25       bbb-ccc.        Tilidine.
- 26       ccc-ddd.        Trimeperidine.
- 27       4.    Opium derivatives. Unless specifically excepted or unless listed in another schedule,
- 28                    any of the following opium derivatives, its salts, isomers, and salts of isomers
- 29                    whenever the existence of such salts, isomers, and salts of isomers is possible within
- 30                    the specific chemical designation:
- 31                    a.    Acetorphine.

Sixty-fourth  
Legislative Assembly

- 1           b. Acetyldihydrocodeine.
- 2           c. Benzylmorphine.
- 3           d. Codeine methylbromide.
- 4           e. Codeine-N-Oxide.
- 5           f. Cyprenorphine.
- 6           g. Desomorphine.
- 7           h. Dihydromorphine.
- 8           i. Drotebanol.
- 9           j. Etorphine (except hydrochloride salt).
- 10          k. Heroin.
- 11          l. Hydromorphenol.
- 12          m. Methyldesorphine.
- 13          n. Methyldihydromorphine.
- 14          o. Morphine methylbromide.
- 15          p. Morphine methylsulfonate.
- 16          q. Morphine-N-Oxide.
- 17          r. Myrophine.
- 18          s. Nicocodeine.
- 19          t. Nicomorphine.
- 20          u. Normorphine.
- 21          v. Pholcodine.
- 22          w. Thebacon.
- 23          5. Hallucinogenic substances. Unless specifically excepted or unless listed in another  
24             schedule, any material, compound, mixture, or preparation containing any quantity of  
25             the following hallucinogenic substances, including their salts, isomers, and salts of  
26             isomers whenever the existence of those salts, isomers, and salts of isomers is  
27             possible within the specific chemical designation (for purposes of this subsection only,  
28             the term "isomer" includes the optical, position, and geometric isomers):  
29             a. Alpha-ethyltryptamine, its optical isomers, salts, and salts of isomers (also known  
30                as etryptamine;  $\alpha$ -ethyl-1H-indole-3-ethanamine; 3-(2-aminobutyl) indole).  
31             b. Alpha-methyltryptamine.

- 1 c. 4-methoxyamphetamine (also known as 4-methoxy- $\alpha$ -methylphenethylamine;  
2 paramethoxyamphetamine; PMA).
- 3 d. N-hydroxy-3,4-methylenedioxyamphetamine (also known as N-hydroxy- $\alpha$ -  
4 methyl-3,4(methylenedioxy)phenylamine, and N-hydroxy MDA.
- 5 e. Hashish.
- 6 f. Ibogaine (also known as 7-Ethyl-6, 6B, 7, 8, 9, 10, 12, 13-octahydro-2-methoxy-  
7 6, 9-methano-5 H-pyrido [1', 2':1,2] azepino (5,4-b) indole; Tabernanthe iboga).
- 8 g. Lysergic acid diethylamide.
- 9 h. Marijuana.
- 10 i. Parahexyl (also known as 3-Hexyl-1-hydroxy-7,8,9,10-tetrahydro- 6,6,9-trimethyl-  
11 6H-dibenzol[b,d]pyran; Synhexyl).
- 12 j. Peyote (all parts of the plant presently classified botanically as *Lophophora*  
13 *williamsii* Lemaire, whether growing or not, the seeds thereof, any extract from  
14 any part of such plant, and every compound, manufacture, salts, derivative,  
15 mixture, or preparation of such plant, its seeds, or its extracts).
- 16 k. N-ethyl-3-piperidyl benzilate.
- 17 l. N-methyl-3-piperidyl benzilate.
- 18 m. Psilocybin.
- 19 n. Tetrahydrocannabinols, meaning tetrahydrocannabinols naturally contained in a  
20 plant of the genus *Cannabis* (*cannabis* plant), as well as synthetic equivalents of  
21 the substances contained in the *cannabis* plant, or in the resinous extractives of  
22 such plant, including synthetic substances, derivatives, and their isomers with  
23 similar chemical structure and pharmacological activity to those substances  
24 contained in the plant, such as the following:
- 25 (1) Delta-1 cis or trans tetrahydrocannabinol, and their optical isomers. Other  
26 names: Delta-9-tetrahydrocannabinol.
- 27 (2) Delta-6 cis or trans tetrahydrocannabinol, and their optical isomers.
- 28 (3) Delta-3,4 cis or trans tetrahydrocannabinol, and its optical isomers.
- 29 (Since nomenclature of these substances is not internationally standardized,  
30 compounds of these structures, regardless of numerical designation of atomic  
31 positions covered.)

- 1           o.   Cannabinoids, synthetic. It includes the chemicals and chemical groups listed  
2                   below, including their homologues, salts, isomers, and salts of isomers. The term  
3                   "isomer" includes the optical, position, and geometric isomers.

4           (1)   ~~Naphthoylindoles. Any compound containing a 3-(1-naphthoyl)indole-~~  
5                   ~~structure with substitution at the nitrogen atom of the indole ring by an alkyl,~~  
6                   ~~haloalkyl, cyanoalkyl, alkenyl, cycloalkylmethyl, cycloalkylethyl, 1-(N-methyl-~~  
7                   ~~2-piperidinyl)methyl, 2-(4-morpholinyl)ethyl, 1-(N-methyl-2-~~  
8                   ~~pyrrolidinyl)methyl, 1-(N-methyl-3-morpholinyl)methyl, or (tetrahydropyran-4-~~  
9                   ~~yl)methyl group, whether or not further substituted in the indole ring to any-~~  
10                  ~~extent and whether or not substituted in the naphthyl ring to any extent.~~

11                  ~~Examples include:~~

12                  ~~(a)   1-Pentyl-3-(1-naphthoyl)indole—Other names: JWH-018 and AM-678.~~

13                  ~~(b)   1-Butyl-3-(1-naphthoyl)indole—Other names: JWH-073.~~

14                  ~~(c)   1-Pentyl-3-(4-methoxy-1-naphthoyl)indole—Other names: JWH-081.~~

15                  ~~(d)   1-[2-(4-morpholinyl)ethyl]-3-(1-naphthoyl)indole—Other names: JWH-~~  
16                   ~~200.~~

17                  ~~(e)   1-Propyl-2-methyl-3-(1-naphthoyl)indole—Other names: JWH-015.~~

18                  ~~(f)   1-Hexyl-3-(1-naphthoyl)indole—Other names: JWH-019.~~

19                  ~~(g)   1-Pentyl-3-(4-methyl-1-naphthoyl)indole—Other names: JWH-122.~~

20                  ~~(h)   1-Pentyl-3-(4-ethyl-1-naphthoyl)indole—Other names: JWH-210.~~

21                  ~~(i)   1-Pentyl-3-(4-chloro-1-naphthoyl)indole—Other names: JWH-398.~~

22                  ~~(j)   1-(5-fluoropentyl)-3-(1-naphthoyl)indole—Other names: AM-2201.~~

23                  Indole carboxaldehydes. Any compound structurally derived from 1H-indole-  
24                  3-carboxaldehyde or 1H-2-carboxaldehyde substituted in both of the  
25                  following ways: at the nitrogen atom of the indole ring by an alkyl, haloalkyl,  
26                  cyanoalkyl, alkenyl, cycloalkylmethyl, cycloalkylethyl, 1-(N-methyl-2-  
27                  piperidinyl)methyl, 2-(4-morpholinyl)ethyl, 1-(N-methyl-2-pyrrolidinyl)methyl,  
28                  1-(N-methyl-3-morpholinyl)methyl, tetrahydropyranylmethyl, benzyl, or halo  
29                  benzyl group; and, at the hydrogen of the carboxaldehyde by a phenyl,  
30                  benzyl, naphthyl, adamantyl, cyclopropyl, or propionaldehyde group whether  
31                  or not the compound is further modified to any extent in the following ways:

- 1 (a) Substitution to the indole ring to any extent; or
- 2 (b) Substitution to the phenyl, benzyl, naphthyl, adamantyl, cyclopropyl,
- 3 or propionaldehyde group to any extent; or
- 4 (c) A nitrogen heterocyclic analog of the indole ring; or
- 5 (d) A nitrogen heterocyclic analog of the phenyl, benzyl, naphthyl,
- 6 adamantyl, or cyclopropyl ring.
- 7 (e) Examples include:
- 8 [1] 1-Pentyl-3-(1-naphthoyl)indole - Other names: JWH-018 and
- 9 AM-678.
- 10 [2] 1-Butyl-3-(1-naphthoyl)indole - Other names: JWH-073.
- 11 [3] 1-Pentyl-3-(4-methoxy-1-naphthoyl)indole - Other names:
- 12 JWH-081.
- 13 [4] 1-[2-(4-morpholinyl)ethyl]-3-(1-naphthoyl)indole - Other names:
- 14 JWH-200.
- 15 [5] 1-Propyl-2-methyl-3-(1-naphthoyl)indole - Other names:
- 16 JWH-015.
- 17 [6] 1-Hexyl-3-(1-naphthoyl)indole - Other names: JWH-019.
- 18 [7] 1-Pentyl-3-(4-methyl-1-naphthoyl)indole - Other names:
- 19 JWH-122.
- 20 [8] 1-Pentyl-3-(4-ethyl-1-naphthoyl)indole - Other names: JWH-210.
- 21 [9] 1-Pentyl-3-(4-chloro-1-naphthoyl)indole - Other names:
- 22 JWH-398.
- 23 [10] 1-(5-fluoropentyl)-3-(1-naphthoyl)indole - Other names:
- 24 AM-2201.
- 25 [11] 1-(2-cyclohexylethyl)-3-(2-methoxyphenylacetyl)indole - Other
- 26 names: RCS-8.
- 27 [12] 1-Pentyl-3-(2-methoxyphenylacetyl)indole - Other names:
- 28 JWH-250.
- 29 [13] 1-Pentyl-3-(2-methylphenylacetyl)indole - Other names:
- 30 JWH-251.

- 1 [14] 1-Pentyl-3-(2-chlorophenylacetyl)indole - Other names: JWH-  
2 203.
- 3 [15] 1-Pentyl-3-(4-methoxybenzoyl)indole - Other names: RCS-4.
- 4 [16] (1-(5-fluoropentyl)-3-(2-iodobenzoyl)indole) - Other names:  
5 AM-694.
- 6 [17] (4-Methoxyphenyl)-[2-methyl-1-(2-(4-morpholinyl)ethyl)indol-3-  
7 yl]methanone - Other names: WIN 48,098 and Pravadoline.
- 8 [18] (1-Pentylindol-3-yl)-(2,2,3,3-tetramethylcyclopropyl)methanone --  
9 Other names: UR-144.
- 10 [19] (1-(5-fluoropentyl)indol-3-yl)-(2,2,3,3-  
11 tetramethylcyclopropyl)methanone - Other names: XLR-11.
- 12 [20] (1-(2-morpholin-4-ylethyl)-1H-indol-3-yl)-(2,2,3,3-  
13 tetramethylcyclopropyl)methanone - Other names: A-796,260.
- 14 [21] (1-(5-fluoropentyl)-1H-indazol-3-yl)(naphthalen-1-yl)methanone --  
15 Other names: THJ-2201.
- 16 [22] 1-naphthalenyl(1-pentyl-1H-indazol-3-yl)-methanone -- Other  
17 names: THJ-018.
- 18 [23] (1-(5-fluoropentyl)-1H-benzo[d]imidazol-2-yl)(naphthalen-1-  
19 yl)methanone - Other names: FUBIMINA.
- 20 [24] 1-[(N-methylpiperidin-2-yl)methyl]-3-(adamant-1-oyl) indole -  
21 Other names: AM-1248.
- 22 [25] 1-Pentyl-3-(1-adamantoyl)indole - Other names: AB-001 and  
23 JWH-018 adamantyl analog.
- 24 (2) Indole carboxamides. Any compound structurally derived from 1H-indole-3-  
25 carboxamide or 1H-2-carboxamide substituted in both of the following ways:  
26 at the nitrogen atom of the indole ring by an alkyl, haloalkyl, cyanoalkyl,  
27 alkenyl, cycloalkylmethyl, cycloalkylethyl, 1-(N-methyl-2-piperidinyl)methyl,  
28 2-(4-morpholinyl)ethyl, 1-(N-methyl-2-pyrrolidinyl)methyl, 1-(N-methyl-3-  
29 morpholinyl)methyl, tetrahydropyranylmethyl, benzyl, or halo benzyl group;  
30 and, at the nitrogen of the carboxamide by a phenyl, benzyl, naphthyl,

- 1                    adamantyl, cyclopropyl, or propionaldehyde group whether or not the  
2                    compound is further modified to any extent in the following ways:  
3                    (a) Substitution to the indole ring to any extent; or  
4                    (b) Substitution to the phenyl, benzyl, naphthyl, adamantyl, cyclopropyl,  
5                    or propionaldehyde group to any extent; or  
6                    (c) A nitrogen heterocyclic analog of the indole ring; or  
7                    (d) A nitrogen heterocyclic analog of the phenyl, benzyl, naphthyl,  
8                    adamantyl, or cyclopropyl ring.  
9                    (e) Examples include:  
10                   [1] N-Adamantyl-1-pentyl-1H-indole-3-carboxamide - Other names:  
11                   JWH-018 adamantyl carboxamide, APICA, SDB-001, and 2NE1.  
12                   [2] N-Adamantyl-1-fluoropentylindole-3-carboxamide - Other names:  
13                   STS-135.  
14                   [3] N-Adamantyl-1-pentyl-1H-Indazole-3-carboxamide - Other  
15                   names: AKB 48 and APINACA.  
16                   [4] N-1-naphthalenyl-1-pentyl-1H-indole-3-carboxamide - Other  
17                   names: NNEI and MN-24.  
18                   [5] N-(1-Amino-3,3-dimethyl-1-oxobutan-2-yl)-1-pentyl-1H-indole-3-  
19                   carboxamide - Other names: ADBICA.  
20                   [6] (S)-N-(1-amino-3-methyl-1-oxobutan-2-yl)-1-pentyl-1H-indazole-  
21                   3-carboxamide - Other names: AB-PINACA.  
22                   [7] N-[(1S)-1-(aminocarbonyl)-2-methylpropyl]-1-[(4-  
23                   fluorophenyl)methyl]-1H-indazole-3-carboxamide - Other names:  
24                   AB-FUBINACA.  
25                   [8] (S)-N-(1-amino-3-methyl-1-oxobutan-2-yl)-1-(5-fluoropentyl)-1H-  
26                   indazole-3-carboxamide - Other names: 5-Fluoro AB-PINACA.  
27                   [9] N-(1-amino-3,3-dimethyl-1-oxobutan-2-yl)-1-pentyl-1H-indazole-  
28                   3-carboxamide - Other names: ADB-PINACA.  
29                   [10] N-[(1S)-1-(aminocarbonyl)-2-methylpropyl]-1-(cyclohexylmethyl)-  
30                   1H-indazole-3-carboxamide - Other names: AB-CHMINACA.

- 1 [11] N-(1-Amino-3,3-dimethyl-1-oxobutan-2-yl)-1-(4-fluorobenzyl)-1H-  
2 indazole-3-carboxamide - Other names: ADB-FUBINACA.
- 3 [12] N-((3s,5s,7s)-adamantan-1-yl)-1-(4-fluorobenzyl)-1H-indazole-3-  
4 carboxamide - Other names: FUB-AKB48 and AKB48 N-(4-  
5 fluorobenzyl) analog.
- 6 [13] 1-(5-fluoropentyl)-N-(quinolin-8-yl)-1H-indazole-3-carboxamide -  
7 Other names: 5-fluoro-THJ.
- 8 [14] (S)-methyl 2-(1-(5-fluoropentyl)-1H-indazole-3-carboxamido)-3-  
9 methylbutanoate - Other names: 5-fluoro AMB.
- 10 [15] methyl (1-(4-fluorobenzyl)-1H-indazole-3-carbonyl)-L-valinate -  
11 Other names: FUB-AMB.
- 12 (3) Indole carboxylic acids. Any compound structurally derived from 1H-indole-  
13 3-carboxylic acid or 1H-2-carboxylic acid substituted in both of the following  
14 ways: at the nitrogen atom of the indole ring by an alkyl, haloalkyl,  
15 cianoalkyl, alkenyl, cycloalkylmethyl, cycloalkylethyl, 1-(N-methyl-2-  
16 piperidinyl)methyl, 2-(4-morpholinyl)ethyl, 1-(N-methyl-2-pyrrolidinyl)methyl,  
17 1-(N-methyl-3-morpholinyl)methyl, tetrahydropyranylmethyl, benzyl, or halo  
18 benzyl group; and, at the hydroxyl group of the carboxylic acid by a phenyl,  
19 benzyl, naphthyl, adamantyl, cyclopropyl, or propionaldehyde group whether  
20 or not the compound is further modified to any extent in the following ways:
- 21 (a) Substitution to the indole ring to any extent; or
- 22 (b) Substitution to the phenyl, benzyl, naphthyl, adamantyl, cyclopropyl,  
23 propionaldehyde group to any extent; or
- 24 (c) A nitrogen heterocyclic analog of the indole ring; or
- 25 (d) A nitrogen heterocyclic analog of the phenyl, benzyl, naphthyl,  
26 adamantyl, or cyclopropyl ring.
- 27 (e) Examples include:
- 28 [1] 1-(cyclohexylmethyl)-1H-indole-3-carboxylic acid 8-quinolinyl  
29 ester - Other names: BB-22 and QUCHIC.
- 30 [2] naphthalen-1-yl 1-(4-fluorobenzyl)-1H-indole-3-carboxylate -  
31 Other names: FDU-PB-22.

- 1 [3] 1-pentyl-1H-indole-3-carboxylic acid 8-quinolinyl ester - Other  
2 names: PB-22 and QUPIC.
- 3 [4] 1-(5-Fluoropentyl)-1H-indole-3-carboxylic acid 8-quinolinyl ester -  
4 Other names: 5-Fluoro PB-22 and 5F-PB-22.
- 5 [5] quinolin-8-yl-1-(4-fluorobenzyl)-1H-indole-3-carboxylate - Other  
6 names: FUB-PB-22.
- 7 [6] naphthalen-1-yl 1-(5-fluoropentyl)-1H-indole-3-carboxylate -  
8 Other names: NM2201.
- 9 ~~(2)~~(4) Naphthylmethylindoles. Any compound containing a 1H-indol-3-yl-(1-  
10 naphthyl)methane structure with substitution at the nitrogen atom of the  
11 indole ring by an alkyl, haloalkyl, cyanoalkyl, alkenyl, cycloalkylmethyl,  
12 cycloalkylethyl, 1-(N-methyl-2-piperidinyl)methyl, 2-(4-morpholinyl)ethyl, 1-  
13 (N-methyl-2-pyrrolidinyl)methyl, 1-(N-methyl-3-morpholinyl)methyl, or  
14 (tetrahydropyran-4-yl)methyl group whether or not further substituted in the  
15 indole ring to any extent and whether or not substituted in the naphthyl ring  
16 to any extent. Examples include:
- 17 (a) 1-Pentyl-1H-indol-3-yl-(1-naphthyl)methane - Other names: JWH-175.  
18 (b) 1-Pentyl-1H-indol-3-yl-(4-methyl-1-naphthyl)methane - Other names:  
19 JWH-184.
- 20 ~~(3)~~(5) Naphthoylpyrroles. Any compound containing a 3-(1-naphthoyl)pyrrole  
21 structure with substitution at the nitrogen atom of the pyrrole ring by an  
22 alkyl, haloalkyl, cyanoalkyl, alkenyl, cycloalkylmethyl, cycloalkylethyl, 1-(N-  
23 methyl-2-piperidinyl)methyl, 2-(4-morpholinyl)ethyl, 1-(N-methyl-2-  
24 pyrrolidinyl)methyl, 1-(N-methyl-3-morpholinyl)methyl, or (tetrahydropyran-4-  
25 yl)methyl group whether or not further substituted in the pyrrole ring to any  
26 extent, whether or not substituted in the naphthyl ring to any extent.  
27 Examples include: (5-(2-fluorophenyl)-1-pentylpyrrol-3-yl)-naphthalen-1-  
28 ylmethanone - Other names: JWH-307.
- 29 ~~(4)~~(6) Naphthylmethylindenes. Any compound containing a naphthylideneindene  
30 structure with substitution at the 3-position of the indene ring by an alkyl,  
31 haloalkyl, cyanoalkyl, alkenyl, cycloalkylmethyl, cycloalkylethyl, 1-(N-methyl-

- 1 2-piperidinyl)methyl, 2 (4 morpholinyl)ethyl, 1-(N-methyl-2-  
2 pyrrolidinyl)methyl, 1-(N-methyl-3-morpholinyl)methyl, or (tetrahydropyran-4-  
3 yl)methyl group whether or not further substituted in the indene ring to any  
4 extent, whether or not substituted in the naphthyl ring to any extent.  
5 Examples include: E-1-[1-(1-Naphthalenylmethylene)-1H-inden-3-yl]pentane  
6 - Other names: JWH-176.
- 7 ~~(5)~~ Phenylacetylindoles. Any compound containing a 3-phenylacetylindole  
8 structure with substitution at the nitrogen atom of the indole ring by an alkyl,  
9 haloalkyl, cyanoalkyl, alkenyl, cycloalkylmethyl, cycloalkylethyl, 1-(N-methyl-  
10 2-piperidinyl)methyl, 2-(4-morpholinyl)ethyl, 1-(N-methyl-2-  
11 pyrrolidinyl)methyl, 1-(N-methyl-3-morpholinyl)methyl, or (tetrahydropyran-4-  
12 yl)methyl group whether or not further substituted in the indole ring to any  
13 extent, whether or not substituted in the phenyl ring to any extent. Examples  
14 include:
- 15 (a) 1-(2-cyclohexylethyl)-3-(2-methoxyphenylacetyl)indole - Other names:  
16 RGS-8.
- 17 (b) 1-Pentyl-3-(2-methoxyphenylacetyl)indole - Other names: JWH-250.
- 18 (c) 1-Pentyl-3-(2-methylphenylacetyl)indole - Other names: JWH-251.
- 19 (d) 1-Pentyl-3-(2-chlorophenylacetyl)indole - Other names: JWH-203.
- 20 ~~(6)~~(7) Cyclohexylphenols. Any compound containing a 2-(3-  
21 hydroxycyclohexyl)phenol structure with substitution at the 5-position of the  
22 phenolic ring by an alkyl, haloalkyl, cyanoalkyl, alkenyl, cycloalkylmethyl,  
23 cycloalkylethyl, 1-(N-methyl-2-piperidinyl)methyl, 2-(4-morpholinyl)ethyl, 1-  
24 (N-methyl-2-pyrrolidinyl)methyl, 1-(N-methyl-3-morpholinyl)methyl, or  
25 (tetrahydropyran-4-yl)methyl group whether or not substituted in the  
26 cyclohexyl ring to any extent. Examples include:
- 27 (a) 5-(1,1-dimethylheptyl)-2-[(1R,3S)-3-hydroxycyclohexyl]-phenol - Other  
28 names: CP 47,497.
- 29 (b) 5-(1,1-dimethyloctyl)-2-[(1R,3S)-3-hydroxycyclohexyl]-phenol - Other  
30 names: Cannabicyclohexanol and CP 47,497 C8 homologue.

- 1 (c) 5-(1,1-dimethylheptyl)-2-[(1R,2R)-5-hydroxy-2-(3-  
2 hydroxypropyl)cyclohexyl]-phenol - Other names: CP 55,940.
- 3 (7) ~~Benzoylindoles. Any compound containing a 3-(benzoyl)indole structure with~~  
4 ~~substitution at the nitrogen atom of the indole ring by an alkyl, haloalkyl,~~  
5 ~~cyanoalkyl, alkenyl, cycloalkylmethyl, cycloalkylethyl, 1-(N-methyl-2-~~  
6 ~~piperidinyl)methyl, 2-(4-morpholinyl)ethyl, 1-(N-methyl-2-pyrrolidinyl)methyl,~~  
7 ~~1-(N-methyl-3-morpholinyl)methyl, or (tetrahydropyran-4-yl)methyl group~~  
8 ~~whether or not further substituted in the indole ring to any extent and~~  
9 ~~whether or not substituted in the phenyl ring to any extent. Examples~~  
10 ~~include:~~
- 11 (a) ~~1-Pentyl-3-(4-methoxybenzoyl)indole - Other names: RGS-4.~~  
12 (b) ~~(1-(5-fluoropentyl)-3-(2-iodobenzoyl)indole) - Other names: AM-694.~~  
13 (c) ~~(4-Methoxyphenyl)-[2-methyl-1-(2-(4-morpholinyl)ethyl)indol-3-~~  
14 ~~yl]methanone - Other names: WIN-48,098 and Pravadoline.~~
- 15 (8) ~~Tetramethylcyclopropanoylindoles. Any compound containing a 3-~~  
16 ~~tetramethylcyclopropanoylindole structure with substitution at the nitrogen-~~  
17 ~~atom of the indole ring by an alkyl, haloalkyl, cyanoalkyl, alkenyl,~~  
18 ~~cycloalkylmethyl, cycloalkylethyl, 1-(N-methyl-2-piperidinyl)methyl, 2-(4-~~  
19 ~~morpholinyl)ethyl, 1-(N-methyl-2-pyrrolidinyl)methyl, 1-(N-methyl-3-~~  
20 ~~morpholinyl)methyl, or (tetrahydropyran-4-yl)methyl group whether or not~~  
21 ~~further substituted in the indole ring to any extent and whether or not~~  
22 ~~substituted in the tetramethylcyclopropanoyl ring to any extent.~~
- 23 (a) ~~(1-Pentylindol-3-yl)-(2,2,3,3-tetramethylcyclopropyl)methanone -~~  
24 ~~Other names: UR-144.~~
- 25 (b) ~~(1-(5-fluoropentyl)indol-3-yl)-(2,2,3,3-tetramethylcyclopropyl)~~  
26 ~~methanone - Other names: XLR-11.~~
- 27 (c) ~~(1-(2-morpholin-4-ylethyl)-1H-indol-3-yl)-(2,2,3,3-~~  
28 ~~tetramethylcyclopropyl)methanone - Other names: A-796,260.~~
- 29 (9)(8) Others specifically named:
- 30 (a) (6aR,10aR)-9-(hydroxymethyl)-6,6-dimethyl-3-(2-methyloctan-2-yl)-  
31 6a,7,10,10a-tetrahydrobenzo[c]chromen-1-ol - Other names: HU-210.

- 1 (b) (6a*S*,10a*S*)-9-(hydroxymethyl)-6,6-dimethyl-3-(2-methyloctan-2-yl)-  
2 6a,7,10,10a-tetrahydrobenzo[*c*]chromen-1-ol - Other names:  
3 Dexanabinol and HU-211.
- 4 (c) 2,3-Dihydro-5-methyl-3-(4-morpholinylmethyl)pyrrolo[1,2,3-*de*]-1,4-  
5 benzoxazin-6-yl]-1-naphthalenylmethanone - Other names:  
6 WIN 55,212-2.
- 7 (d) ~~1-[(N-methylpiperidin-2-yl)methyl]-3-(adamant-1-yl)indole - Other~~  
8 ~~names: AM-1248.~~
- 9 (e) ~~*N*-Adamantyl-1-pentyl-1*H*-indole-3-carboxamide - Other names: JWH-~~  
10 ~~018-adamantyl-carboxamide.~~
- 11 (f) ~~*N*-Adamantyl-1-fluoropentylindole-3-carboxamide - Other names:-~~  
12 ~~STS-135.~~
- 13 (g) ~~*N*-Adamantyl-1-pentyl-1*H*-Indazole-3-carboxamide - Other names:-~~  
14 ~~AKB-48.~~
- 15 (h) ~~1-Pentyl-3-(1-adamantoyl)indole - Other names: AB-001 and JWH-~~  
16 ~~018-adamantyl-analog.~~
- 17 (i) Naphthalen-1-yl-(4-pentyloxynaphthalen-1-yl)methanone - Other  
18 names: CB-13.
- 19 p. Substituted phenethylamines. This includes any compound, unless specifically  
20 excepted, specifically named in this schedule, or listed under a different  
21 schedule, structurally derived from phenylethan-2-amine by substitution on the  
22 phenyl ring in any of the following ways, that is to say, by substitution with a fused  
23 methylenedioxy ring, fused furan ring, or fused tetrahydrofuran ring; by  
24 substitution with two alkoxy groups; by substitution with one alkoxy and either  
25 one fused furan, tetrahydrofuran, or tetrahydropyran ring system; or by  
26 substitution with two fused ring systems from any combination of the furan,  
27 tetrahydrofuran, or tetrahydropyran ring systems.
- 28 (1) Whether or not the compound is further modified in any of the following  
29 ways, that is to say:
- 30 (a) By substitution of phenyl ring by any halo, hydroxyl, alkyl,  
31 trifluoromethyl, alkoxy, or alkylthio groups;

- 1 (b) By substitution at the 2-position by any alkyl groups; or
- 2 (c) By substitution at the 2-amino nitrogen atom with alkyl, dialkyl, benzyl,
- 3 hydroxybenzyl, methylenedioxybenzyl, or methoxybenzyl groups.
- 4 (2) Examples include:
- 5 (a) 2-(4-Chloro-2,5-dimethoxyphenyl)ethanamine (also known as 2C-C or
- 6 2,5-Dimethoxy-4-chlorophenethylamine).
- 7 (b) 2-(2,5-Dimethoxy-4-methylphenyl)ethanamine (also known as 2C-D or
- 8 2,5-Dimethoxy-4-methylphenethylamine).
- 9 (c) 2-(2,5-Dimethoxy-4-ethylphenyl)ethanamine (also known as 2C-E or
- 10 2,5-Dimethoxy-4-ethylphenethylamine).
- 11 (d) 2-(2,5-Dimethoxyphenyl)ethanamine (also known as 2C-H or 2,5-
- 12 Dimethoxyphenethylamine).
- 13 (e) 2-(4-Iodo-2,5-dimethoxyphenyl)ethanamine (also known as 2C-I or
- 14 2,5-Dimethoxy-4-iodophenethylamine).
- 15 (f) 2-(2,5-Dimethoxy-4-nitro-phenyl)ethanamine (also known as 2C-N or
- 16 2,5-Dimethoxy-4-nitrophenethylamine).
- 17 (g) 2-(2,5-Dimethoxy-4-(n)-propylphenyl)ethanamine (also known as 2C-
- 18 P or 2,5-Dimethoxy-4-propylphenethylamine).
- 19 (h) 2-[4-(Ethylthio)-2,5-dimethoxyphenyl]ethanamine (also known as 2C-
- 20 T-2 or 2,5-Dimethoxy-4-ethylthiophenethylamine).
- 21 (i) 2-[4-(Isopropylthio)-2,5-dimethoxyphenyl]ethanamine (also known as
- 22 2C-T-4 or 2,5-Dimethoxy-4-isopropylthiophenethylamine).
- 23 (j) 2-(4-bromo-2,5-dimethoxyphenyl)ethanamine (also known as 2C-B or
- 24 2,5-Dimethoxy-4-bromophenethylamine).
- 25 (k) 2-(2,5-dimethoxy-4-(methylthio)phenyl)ethanamine (also known as
- 26 2C-T or 4-methylthio-2,5-dimethoxyphenethylamine).
- 27 (l) 1-(2,5-dimethoxy-4-iodophenyl)-propan-2-amine (also known as DOI
- 28 or 2,5-Dimethoxy-4-iodoamphetamine).
- 29 (m) 1-(4-Bromo-2,5-dimethoxyphenyl)-2-aminopropane (also known as
- 30 DOB or 2,5-Dimethoxy-4-bromoamphetamine).

- 1 (n) 1-(4-chloro-2,5-dimethoxy-phenyl)propan-2-amine (also known as  
2 DOC or 2,5-Dimethoxy-4-chloroamphetamine).
- 3 (o) 2-(4-bromo-2,5-dimethoxyphenyl)-N-[(2-  
4 methoxyphenyl)methyl]ethanamine (also known as 2C-B-NBOMe;  
5 2,5B-NBOMe or 2,5-Dimethoxy-4-bromo-N-(2-  
6 methoxybenzyl)phenethylamine).
- 7 (p) 2-(4-iodo-2,5-dimethoxyphenyl)-N-[(2  
8 -methoxyphenyl)methyl]ethanamine (also known as 2C-I-NBOMe;  
9 2,5I-NBOMe or 2,5-Dimethoxy-4-iodo-N-(2-  
10 methoxybenzyl)phenethylamine).
- 11 (q) N-(2-Methoxybenzyl)-2-(3,4,5-trimethoxyphenyl)ethanamine (also  
12 known as mescaline-NBOMe or 3,4,5-trimethoxy-N-(2-  
13 methoxybenzyl)phenethylamine).
- 14 (r) 2-(4-chloro-2,5-dimethoxyphenyl)-N-[(2-  
15 methoxyphenyl)methyl]ethanamine (also known as 2C-C-NBOMe;  
16 2,5C-NBOMe or 2,5-Dimethoxy-4-chloro-N-(2-  
17 methoxybenzyl)phenethylamine).
- 18 (s) 2-(7-Bromo-5-methoxy-2,3-dihydro-1-benzofuran-4-yl)ethanamine  
19 (also known as 2CB-5-hemiFLY).
- 20 (t) 2-(8-bromo-2,3,6,7-tetrahydrofuro [2,3-f][1]benzofuran-4-  
21 yl)ethanamine (also known as 2C-B-FLY).
- 22 (u) 2-(10-Bromo-2,3,4,7,8,9-hexahydropyrano[2,3-g]chromen-5-  
23 yl)ethanamine (also known as 2C-B-butterFLY).
- 24 (v) N-(2-Methoxybenzyl)-1-(8-bromo-2,3,6,7-tetrahydrobenzo[1,2-b:4,5-  
25 b']difuran-4-yl)-2-aminoethane (also known as 2C-B-FLY-NBOMe).
- 26 (w) 1-(4-Bromofuro[2,3-f][1]benzofuran-8-yl)propan-2-amine (also known  
27 as bromo-benzodifuranyl-isopropylamine or bromo-dragonFLY).
- 28 (x) N-(2-Hydroxybenzyl)-4-iodo-2,5-dimethoxyphenethylamine (also  
29 known as 2C-I-NBOH or 2,5I-NBOH).
- 30 (y) 5-(2-Aminopropyl)benzofuran (also known as 5-APB).
- 31 (z) 6-(2-Aminopropyl)benzofuran (also known as 6-APB).

- 1 (aa) 5-(2-Aminopropyl)-2,3-dihydrobenzofuran (also known as 5-APDB).
- 2 (bb) 6-(2-Aminopropyl)-2,3-dihydrobenzofuran (also known as 6-APDB).
- 3 (cc) 2,5-dimethoxy-amphetamine (also known as 2,5-dimethoxy-a-
- 4 methylphenethylamine; 2,5-DMA).
- 5 (dd) 2,5-dimethoxy-4-ethylamphetamine (also known as DOET).
- 6 (ee) 2,5-dimethoxy-4-(n)-propylthiophenethylamine (also known as 2C-T-
- 7 7).
- 8 (ff) 5-methoxy-3,4-methylenedioxy-amphetamine.
- 9 (gg) 4-methyl-2,5-dimethoxy-amphetamine (also known as 4-methyl-2,5-
- 10 dimethoxy-a-methylphenethylamine; DOM and STP).
- 11 (hh) 3,4-methylenedioxy amphetamine (also known as MDA).
- 12 (ii) 3,4-methylenedioxymethamphetamine (also known as MDMA).
- 13 (jj) 3,4-methylenedioxy-N-ethylamphetamine (also known as N-ethyl-
- 14 alpha-methyl-3,4(methylenedioxy)phenethylamine, MDE, MDEA).
- 15 (kk) 3,4,5-trimethoxy amphetamine.
- 16 (ll) Mescaline (also known as 3,4,5-trimethoxyphenethylamine).
- 17 q. Substituted tryptamines. This includes any compound, unless specifically
- 18 excepted, specifically named in this schedule, or listed under a different
- 19 schedule, structurally derived from 2-(1H-indol-3-yl)ethanamine (i.e., tryptamine)
- 20 by mono- or di-substitution of the amine nitrogen with alkyl or alkenyl groups or
- 21 by inclusion of the amino nitrogen atom in a cyclic structure whether or not the
- 22 compound is further substituted at the alpha-position with an alkyl group or
- 23 whether or not further substituted on the indole ring to any extent with any alkyl,
- 24 alkoxy, halo, hydroxyl, or acetoxy groups. Examples include:
- 25 (1) 5-methoxy-N,N-diallyltryptamine (also known as 5-MeO-DALT).
- 26 (2) 4-acetoxy-N,N-dimethyltryptamine (also known as 4-AcO-DMT or O-
- 27 Acetylpsilocin).
- 28 (3) 4-hydroxy-N-methyl-N-ethyltryptamine (also known as 4-HO-MET).
- 29 (4) 4-hydroxy-N,N-diisopropyltryptamine (also known as 4-HO-DIPT).
- 30 (5) 5-methoxy-N-methyl-N-isopropyltryptamine (also known as 5-MeO-MiPT).
- 31 (6) 5-methoxy-N,N-dimethyltryptamine (also known as 5-MeO-DMT).

- 1 (7) Bufotenine (also known as 3-(Beta-Dimethyl-aminoethyl)-5-hydroxyindole;
- 2 3-(2-dimethylaminoethyl)-5-indolol; N, N-dimethylserotonin; 5-hydroxy-N,N-
- 3 dimethyltryptamine; mappine).
- 4 (8) 5-methoxy-N,N-diisopropyltryptamine (also known as 5-MeO-DIPT).
- 5 (9) Diethyltryptamine (also known as N,N-Diethyltryptamine; DET).
- 6 (10) Dimethyltryptamine (also known as DMT).
- 7 (11) Psilocyn.
- 8 r. 1-[3-(trifluoromethylphenyl)]piperazine (also known as TFMPP).
- 9 s. 1-[4-(trifluoromethylphenyl)]piperazine.
- 10 t. 6,7-dihydro-5H-indeno-(5,6-d)-1,3-dioxol-6-amine (also known as 5,6-
- 11 Methylenedioxy-2-aminoindane or MDAI).
- 12 u. 2-(Ethylamino)-2-(3-methoxyphenyl)cyclohexanone (also known as
- 13 Methoxetamine or MXE).
- 14 v. Ethylamine analog of phencyclidine (also known as N-ethyl-1-
- 15 phenylcyclohexylamine, (1-phenylcyclohexyl) ethylamine, N-(1-phenylcyclohexyl)
- 16 ethylamine, cyclohexamine, PCE).
- 17 w. Pyrrolidine analog of phencyclidine (also known as 1-(1-phenylcyclohexyl)-
- 18 pyrrolidine, PCPy, PHP).
- 19 x. Thiophene analog of phencyclidine (also known as (1-[1-(2-thienyl) cyclohexyl]
- 20 piperidine; 2-Thienyl analog of phencyclidine; TPCP, TCP).
- 21 y. 1-[1-(2-thienyl)cyclohexyl]pyrrolidine (also known as TCPy).
- 22 z. Salvia divinorum, salvinorin A, or any of the active ingredients of salvia divinorum.
- 23 6. Depressants. Unless specifically excepted or unless listed in another schedule, any
- 24 material compound, mixture, or preparation which contains any quantity of the
- 25 following substances having a depressant effect on the central nervous system,
- 26 whenever the existence of such salts, isomers, and salts of isomers is possible within
- 27 the specific chemical designation:
- 28 a. Flunitrazepam.
- 29 b. Gamma-hydroxybutyric acid.
- 30 c. Mecloqualone.
- 31 d. Methaqualone.

- 1           7. Stimulants. Unless specifically excepted or unless listed in another schedule, any  
2           material, compound, mixture, or preparation which contains any quantity of the  
3           following substances having a stimulant effect on the central nervous system,  
4           including its salts, isomers, and salts of isomers:
- 5           a. Aminorex (also known as 2-amino-5-phenyl-2-oxazoline, or 4,5-dihydro-5-phenyl-  
6           2-oxazolamine).
- 7           b. Cathinone.
- 8           c. Substituted cathinones. Any compound, material, mixture, preparation, or other  
9           product, unless listed in another schedule or an approved food and drug  
10          administration drug (e.g., bupropion, pyrovalerone), structurally derived from 2-  
11          aminopropan-1-one by substitution at the 1-position with either phenyl, naphthyl,  
12          or thiophene ring systems, whether or not the compound is further modified in  
13          any of the following ways:
- 14          (1) By substitution in the ring system to any extent with alkyl, alkylendioxy,  
15          alkoxy, haloalkyl, hydroxyl, or halide substituents, whether or not further  
16          substituted in the ring system by one or more other univalent substituents;
- 17          (2) By substitution at the 3-position with an acyclic alkyl substituent;
- 18          (3) By substitution at the 2-amino nitrogen atom with alkyl, dialkyl, benzyl, or  
19          methoxybenzyl groups; or
- 20          (4) By inclusion of the 2-amino nitrogen atom in a cyclic structure.
- 21          Some trade or other names:
- 22          (a) 3,4-Methylenedioxy-alpha-pyrrolidinopropiophenone (also known as  
23          MDPPP).
- 24          (b) 3,4-Methylenedioxy-N-ethylcathinone (also known as Ethylone,  
25          MDEC, or bk-MDEA).
- 26          (c) 3,4-Methylenedioxy-N-methylcathinone (also known as Methylone or  
27          bk-MDMA).
- 28          (d) 3,4-Methylenedioxy-pyrovalerone (also known as MDPV).
- 29          (e) 3,4-Dimethylmethcathinone (also known as 3,4-DMMC).
- 30          (f) 2-(methylamino)-1-phenylpentan-1-one (also known as Pentedrone).
- 31          (g) 2-Fluoromethcathinone.

- 1 (h) 3-Fluoromethcathinone.  
2 (i) 4-Methylethcathinone (also known as 4-MEC).  
3 (j) 4-Fluoromethcathinone (also known as Flephedrone).  
4 (k) 4-Methoxy-alpha-pyrrolidinopropiophenone (also known as MOPPP).  
5 (l) 4-Methoxymethcathinone (also known as Methedrone; bk-PMMA).  
6 (m) 4'-Methyl-alpha-pyrrolidinobutiophenone (also known as MPBP).  
7 (n) Alpha-methylamino-butyrophenone (also known as Buphedrone or  
8 MABP).  
9 (o) Alpha-pyrrolidinobutiophenone (also known as alpha-PBP).  
10 (p) Alpha-pyrrolidinopropiophenone (also known as alpha-PPP).  
11 (q) Alpha-pyrrolidinopentiophenone (also known as Alpha-  
12 pyrrolidinovalerophenone or alpha-PVP).  
13 (r) Beta-keto-N-methylbenzodioxolylbutanamine (also known as Butylone  
14 or bk-MBDB).  
15 (s) Ethcathinone (also known as N-Ethylcathinone).  
16 (t) 4-Methylmethcathinone (also known as Mephedrone or 4-MMC).  
17 (u) Methcathinone.  
18 (v) N,N-dimethylcathinone (also known as metamfepramone).  
19 (w) Naphthylpyrovalerone (naphyrone).  
20 d. Fenethylline.  
21 e. Fluoroamphetamine.  
22 f. Fluoromethamphetamine.  
23 g. (±)cis-4-methylaminorex (also known as (±)cis-4,5-dihydro-4-methyl-5-phenyl-2-  
24 oxazolamine).  
25 h. N-Benzylpiperazine (also known as BZP, 1-benzylpiperazine).  
26 i. N-ethylamphetamine.  
27 j. N, N-dimethylamphetamine (also known as N,N-alpha-trimethyl-  
28 benzeneethanamine; N,N-alpha-trimethylphenethylamine).

29 **SECTION 2. AMENDMENT.** Section 19-03.1-09 of the North Dakota Century Code is  
30 amended and reenacted as follows:

1       **19-03.1-09. Schedule III.**

2       1. The controlled substances listed in this section are included in schedule III.

3       2. Schedule III consists of the drugs and other substances, by whatever official name,  
4       common or usual name, chemical name, or brand name designated, listed in this  
5       section.

6       3. Stimulants. Unless specifically excepted or unless listed in another schedule, any  
7       material, compound, mixture, or preparation which contains any quantity of the  
8       following substances having a stimulant effect on the central nervous system,  
9       including its salts, isomers (whether optical, position, or geometric), and salts of such  
10      isomers whenever the existence of such salts, isomers, and salts of isomers is  
11      possible within the specific chemical designation:

12      a. Those compounds, mixtures, or preparations in dosage unit form containing any  
13      stimulant substances listed in schedule II and any other drug of the quantitative  
14      composition shown in that schedule for those drugs or which is the same except  
15      that it contains a lesser quantity of controlled substances.

16      b. Benzphetamine.

17      c. Chlorphentermine.

18      d. Clortermine.

19      e. Phendimetrazine.

20      4. Depressants. Unless specifically excepted or unless listed in another schedule, any  
21      material, compound, mixture, or preparation that contains any quantity of the following  
22      substances having a depressant effect on the central nervous system:

23      a. Any compound, mixture, or preparation containing:

24          (1) Amobarbital;

25          (2) Secobarbital;

26          (3) Pentobarbital;

27          or any salt thereof and one or more other active medicinal ingredients which are  
28          not listed in any schedule.

29      b. Any suppository dosage form containing:

30          (1) Amobarbital;

31          (2) Secobarbital;

- 1                   (3) Pentobarbital;  
2                   or any salt of any of these drugs and approved by the food and drug  
3                   administration for marketing only as a suppository.
- 4                   c. Any substance that contains any quantity of a derivative of barbituric acid, or any  
5                   salt of a derivative of barbituric acid, except those substances which are  
6                   specifically listed in other schedules thereof.
- 7                   d. Chlorhexadol.
- 8                   e. Embutramide.
- 9                   f. Gamma-hydroxybutyric acid in a United States food and drug administration-  
10                  approved drug product.
- 11                  g. Ketamine.
- 12                  h. Lysergic acid.
- 13                  i. Lysergic acid amide.
- 14                  j. Methyprylon.
- 15                  k. Perampanel.
- 16                  l. Sulfondiethylmethane.
- 17                  l.m. Sulfonethylmethane.
- 18                  ~~m.n.~~ Sulfonmethane.
- 19                  n.o. Tiletamine and zolazepam or any salt thereof. Some trade or other names for a  
20                  tiletamine-zolazepam combination product: Telazol. Some trade or other names  
21                  for tiletamine: 2-(ethylamino)-2-(2-thienyl)-cyclohexanone. Some trade or other  
22                  names for zolazepam: 4-2(2-fluorophenyl)-6, 8-dihydro-1,3,8-trimethylpyrazolo-  
23                  [3,4-e][1,4]-diazepin-7(1H)-one, flupyrazapon.
- 24                  5. Nalorphine.
- 25                  6. Narcotic drugs. Unless specifically excepted or unless listed in another schedule, any  
26                  material, compound, mixture, or preparation that contains any of the following narcotic  
27                  drugs, or their salts calculated as the free anhydrous base or alkaloid, in limited  
28                  quantities as set forth below:
- 29                  a. (1) Not more than 1.80 grams of codeine per 100 milliliters or not more than  
30                  90 milligrams per dosage unit, with an equal or greater quantity of an  
31                  isoquinoline alkaloid of opium.

- 1                   (2) Not more than 1.80 grams of codeine per 100 milliliters or not more than  
2                   90 milligrams per dosage unit, with one or more active, nonnarcotic  
3                   ingredients in recognized therapeutic amounts.
- 4                   (3) ~~Not more than 300 milligrams of hydrocodone per 100 milliliters or not more~~  
5                   ~~than 15 milligrams per dosage unit, with a fourfold or greater quantity of an~~  
6                   ~~isoquinoline alkaloid of opium.~~
- 7                   (4) ~~Not more than 300 milligrams of hydrocodone per 100 milliliters or not more~~  
8                   ~~than 15 milligrams per dosage unit, with one or more active, nonnarcotic~~  
9                   ~~ingredients in recognized therapeutic amounts.~~
- 10                  (5) Not more than 1.80 grams of dihydrocodeine per 100 milliliters or not more  
11                  than 90 milligrams per dosage unit, with one or more active, nonnarcotic  
12                  ingredients in recognized therapeutic amounts.
- 13                  (6)(4) Not more than 300 milligrams of ethylmorphine per 100 milliliters or not  
14                  more than 15 milligrams per dosage unit, with one or more active,  
15                  nonnarcotic ingredients in recognized therapeutic amounts.
- 16                  (7)(5) Not more than 500 milligrams of opium per 100 milliliters or per 100 grams,  
17                  or not more than 25 milligrams per dosage unit, with one or more active,  
18                  nonnarcotic ingredients in recognized therapeutic amounts.
- 19                  (8)(6) Not more than 50 milligrams of morphine per 100 milliliters or per 100 grams  
20                  with one or more active, nonnarcotic ingredients in recognized therapeutic  
21                  amounts.
- 22                  b. Buprenorphine.
- 23                  7. Anabolic steroids. Unless specifically excepted or unless listed in another schedule,  
24                  any material, compound, mixture, or preparation that contains any of the following  
25                  anabolic steroids:
- 26                  a. 3beta,17-dihydroxy-5a-androstane;  
27                  b. 3alpha,17beta-dihydroxy-5a-androstane;  
28                  c. 5alpha-androstan-3,17-dione;  
29                  d. 1-androstenediol (3beta,17beta-dihydroxy-5alpha-androst-1-ene);  
30                  e. 1-androstenediol (3alpha,17beta-dihydroxy-5alpha-androst-1-ene);  
31                  f. 4-androstenediol (3beta,17beta-dihydroxy-4-ene);

Sixty-fourth  
Legislative Assembly

- 1 g. 5-androstenediol (3beta,17beta-dihydroxy-androst-5-ene);
- 2 h. 1-androstenedione ([5alpha]-androst-1-en-3,17-dione);
- 3 i. 4-androstenedione (androst-4-en-3,17-dione);
- 4 j. 5-androstenedione (androst-5-en-3,17-dione);
- 5 k. Bolasterone (7alpha,17alpha-dimethyl-17beta-hydroxyandrost-4-en-3-one);
- 6 l. Boldenone (17beta-hydroxyandrost-1,4,-diene-3-one);
- 7 m. Boldione (androsta-1,4-diene-3,17-dione);
- 8 n. Calusterone (7beta,17alpha-dimethyl-17beta-hydroxyandrost-4-en-3-one);
- 9 o. Clostebol (4-chloro-17beta-hydroxyandrost-4-en-3-one);
- 10 p. Dehydrochloromethyltestosterone (4-chloro-17beta-hydroxy-17alpha-methyl-  
11 androst-1,4-dien-3-one);
- 12 q. Delta-1-dihydrotestosterone (also known as '1-testosterone') (17beta-hydroxy-  
13 5alpha-androst-1-en-3-one);
- 14 r. Desoxymethyltestosterone (17a-methyl-5a-androst-2-en-17ol) (also known as  
15 madol);
- 16 s. 4-dihydrotestosterone (17beta-hydroxy-androstan-3-one);
- 17 t. Drostanolone (17beta-hydroxy-2alpha-methyl-5alpha-androstan-3-one);
- 18 u. Ethylestrenol (17alpha-ethyl-17beta-hydroxyestr-4-ene);
- 19 v. Fluoxymesterone (9-fluoro-17alpha-methyl-11beta, 17beta-dihydroxyandrost-4-  
20 en-3-one);
- 21 w. Formebolone (2-formyl-17alpha-methyl-11alpha, 17beta-dihydroxyandrost-1,4-  
22 dien-3-one);
- 23 x. Furazabol (17alpha-methyl-17beta-hydroxyandrostando[2,3-c]-furazan);
- 24 y. 13beta-ethyl-17alpha-hydroxygon-4-en-3-one;
- 25 z. 4-hydroxytestosterone (4,17beta-dihydroxy-androst-4-en-3-one);
- 26 aa. 4-hydroxy-19-nortestosterone (4,17beta-dihydroxy-estr-4-en-3-one);
- 27 bb. Mestanolone (17alpha-methyl-17beta-hydroxy-5-androstan-3-one);
- 28 cc. Mesterolone (1alpha-methyl-17beta-hydroxy-[5alpha]-androstan-3-one);
- 29 dd. Methandienone (17alpha-methyl-17beta-dihydroxyandrost-1,4-dien-3-one);
- 30 ee. Methandriol (17alpha-methyl-3beta,17beta-dihydroxyandrost-5-ene);
- 31 ff. Methasterone (2[alpha],17[alpha]-dimethyl-5[alpha]-androstan-17[beta]-ol-3-one);

Sixty-fourth  
Legislative Assembly

- 1 gg. Methenolone (1-methyl-17beta-hydroxy-5alpha-androst-1-en-3-one);
- 2 hh. 17alpha-methyl-3beta,17beta-dihydroxy-5a-androstane;
- 3 ii. 17alpha-methyl-3alpha,17beta-dihydroxy-5a-androstane;
- 4 jj. 17alpha-methyl-3beta,17beta-dihydroxyandrost-4-ene;
- 5 kk. 17alpha-methyl-4-hydroxynandrolone (17alpha-methyl-4-hydroxy-17beta-
- 6 hydroxyestr-4-en-3-one);
- 7 ll. Methyldienolone (17alpha-methyl-17beta-hydroxyestra-4,9(10)-dien-3-one);
- 8 mm. Methyltrienolone (17alpha-methyl-17beta-hydroxyestra-4,9(11)-trien-3-one);
- 9 nn. Methyltestosterone (17alpha-methyl-17beta-hydroxyandrost-4-en-3-one);
- 10 oo. Mibolerone (7alpha,17alpha-dimethyl-17beta-hydroxyestr-4-en-3-one);
- 11 pp. 17alpha-methyl-delta1-dihydrotestosterone (17beta-hydroxy-17alpha-methyl-
- 12 5alpha-androst-1-en-3-one) (also known as '17-alpha-methyl-1-testosterone');
- 13 qq. Nandrolone (17beta-hydroxyestr-4-en-3-one);
- 14 rr. 19-nor-4-androstenediol (3beta,17beta-dihydroxyestr-4-ene);
- 15 ss. 19-nor-4-androstenediol (3alpha,17beta-dihydroxyestr-4-ene);
- 16 tt. 19-nor-5-androstenediol (3beta,17beta-dihydroxyestr-5-ene);
- 17 uu. 19-nor-5-androstenediol (3alpha,17beta-dihydroxyestr-5-ene);
- 18 vv. 19-nor-4-androstenedione (estr-4-en-3,17-dione);
- 19 ww. 19-nor-4,9(10)-androstadienedione (estra-4,9(10)-diene-3,17-dione);
- 20 xx. 19-nor-5-androstenedione (estr-5-en-3,17-dione);
- 21 yy. Norbolethone (13beta,17alpha-diethyl-17beta-hydroxygon-4-en-3-one);
- 22 zz. Norclostebol (4-chloro-17beta-hydroxyestr-4-en-3-one);
- 23 aaa. Norethandrolone (17alpha-ethyl-17beta-hydroxyestr-4-en-3-one);
- 24 bbb. Normethandrolone (17alpha-methyl-17beta-hydroxyestr-4-en-3-one);
- 25 ccc. Oxandrolone (17alpha-methyl-17beta-hydroxy-2-oxa-[5alpha]-androst-3-one);
- 26 ddd. Oxymesterone (17alpha-methyl-4-17beta-dihydroxyandrost-4-en-3-one);
- 27 eee. Oxymetholone (17alpha-methyl-2-hydroxymethylene-17beta-hydroxy [5alpha]-
- 28 androst-3-one);
- 29 fff. Stanozolol (17alpha-methyl-17beta-hydroxy[5alpha]-androst-2-eno[3,2-c]-
- 30 pyrazole);
- 31 ggg. Stenbolone (17beta-hydroxy-2-methyl-[5alpha]-androst-1-en-3-one);

- 1            hhh. Prostanazol (17[beta]- hydroxy-5[alpha]-androstano[3,2-c]pyrazole);  
2            iii. Testolactone (13-hydroxy-3-oxo-13,17-secoandrosta-1,4-dien-17-oic acid  
3            lactone);  
4            jjj. Testosterone (17beta-hydroxyandrost-4-en-3-one);  
5            kkk. Tetrahydrogestrinone (13beta,17alpha-diethyl-17beta-hydroxygon-4,9,11-trien-3-  
6            one);  
7            III. Trenbolone (17beta-hydroxyestr-4,9,11-trien-3-one);  
8            or any salt, ester, or isomer of a drug or substance described or listed in this  
9            subsection, if that salt, ester, or isomer promotes muscle growth.

10           The term does not include an anabolic steroid that is expressly intended for  
11           administration through implants to cattle or other nonhuman species and which has  
12           been approved by the secretary of health and human services for administration  
13           unless any person prescribes, dispenses, possesses, delivers, or distributes for  
14           human use.

15           8. Hallucinogenic substances.

- 16           a. Dronabinol (synthetic) [(-)-delta-9-(trans)-tetrahydrocannabinol] in sesame oil and  
17           encapsulated in a soft gelatin capsule in a United States food and drug  
18           administration-approved drug product.  
19           b. Any product in hard or soft gelatin capsule form containing natural dronabinol  
20           (derived from the cannabis plant) or synthetic dronabinol (produced from  
21           synthetic materials) in sesame oil, for which an abbreviated new drug application  
22           has been approved by the food and drug administration under section 505(j) of  
23           the Federal Food, Drug, and Cosmetic Act [21 U.S.C. 355(j)] which references as  
24           its listed drug the drug product referred to in subdivision a.

- 25           9. The board may except by rule any compound, mixture, or preparation containing any  
26           stimulant or depressant substance listed in subsections 3 and 4 from the application of  
27           all or any part of this chapter if the compound, mixture, or preparation contains one or  
28           more active medicinal ingredients not having a stimulant or depressant effect on the  
29           central nervous system, and if the admixtures are included therein in combinations,  
30           quantity, proportion, or concentration that vitiate the potential for abuse of the

1 substances which have a stimulant or depressant effect on the central nervous  
2 system.

3 **SECTION 3. AMENDMENT.** Section 19-03.1-11 of the North Dakota Century Code is  
4 amended and reenacted as follows:

5 **19-03.1-11. Schedule IV.**

6 1. The controlled substances listed in this section are included in schedule IV.

7 2. Schedule IV consists of the drugs and other substances, by whatever official name,  
8 common or usual name, chemical name, or brand name designated, listed in this  
9 section.

10 3. Narcotic drugs. Unless specifically excepted or unless listed in another schedule, any  
11 material, compound, mixture, or preparation containing any of the following narcotic  
12 drugs or their salts calculated as the free anhydrous base or alkaloid, in limited  
13 quantities as set forth below:

14 a. Not more than 1 milligram of difenoxin and not less than 25 micrograms of  
15 atropine sulfate per dosage unit.

16 b. Dextropropoxyphene (also known as alpha-(+)-4-dimethylamino- 1,2-diphenyl-3-  
17 methyl-2-propionoxybutane).

18 c. Tramadol.

19 4. Depressants. Unless specifically excepted or unless listed in another schedule, any  
20 material, compound, mixture, or preparation containing any quantity of the following  
21 substances, including their salts, isomers, and salts of isomers whenever the  
22 existence of those salts, isomers, and salts of isomers is possible within the specific  
23 chemical designation:

24 a. Alprazolam.

25 b. Alfaxalone.

26 c. Barbitol.

27 e-d. Bromazepam.

28 d-e. Camazepam.

29 e-f. Carisoprodol.

30 f-g. Chloral betaine.

31 g-h. Chloral hydrate.

Sixty-fourth  
Legislative Assembly

1	<u>h-i.</u>	Chlordiazepoxide.
2	<u>i-j.</u>	Clobazam.
3	<u>j-k.</u>	Clonazepam.
4	<u>k-l.</u>	Clorazepate.
5	<u>l-m.</u>	Clotiazepam.
6	<u>m-n.</u>	Cloxazolam.
7	<u>n-o.</u>	Delorazepam.
8	<u>o-p.</u>	Diazepam.
9	<u>p-q.</u>	Dichloralphenazone.
10	<u>q-r.</u>	Estazolam.
11	<u>r-s.</u>	Ethchlorvynol.
12	<u>s-t.</u>	Ethinamate.
13	<u>t-u.</u>	Ethyl loflazepate.
14	<u>u-v.</u>	Fludiazepam.
15	<u>v-w.</u>	Flurazepam.
16	<u>w-x.</u>	Fospropofol.
17	<u>x-y.</u>	Halazepam.
18	<u>y-z.</u>	Haloxazolam.
19	<u>z-aa.</u>	Indiplon.
20	<u>aa-bb.</u>	Ketazolam.
21	<u>bb-cc.</u>	Loprazolam.
22	<u>cc-dd.</u>	Lorazepam.
23	<u>dd-ee.</u>	Lorcaserin.
24	<u>ee-ff.</u>	Lormetazepam.
25	<u>ff-gg.</u>	Mebutamate.
26	<u>gg-hh.</u>	Medazepam.
27	<u>hh-ij.</u>	Meprobamate.
28	<u>ii-jj.</u>	Methohexital.
29	<u>jj-kk.</u>	Methylphenobarbital (also known as mephobarbital).
30	<u>kk-ll.</u>	Midazolam.
31	<u>l-mm.</u>	Nimetazepam.

Sixty-fourth  
Legislative Assembly

- 1        mm-nn. Nitrazepam.
- 2        nn-oo. Nordiazepam.
- 3        oo-pp. Oxazepam.
- 4        pp-qq. Oxazolam.
- 5        qq-rr. Paraldehyde.
- 6        rr-ss. Petrichloral.
- 7        ss-tt. Phenobarbital.
- 8        tt-uu. Pinazepam.
- 9        uu-vv. Propofol.
- 10       vv-ww. Prazepam.
- 11       ww-xx. Quazepam.
- 12       yy. Suvorexant.
- 13       xx-zz. Temazepam.
- 14       yy-aaa. Tetrazepam.
- 15       zz-bbb. Triazolam.
- 16       aaa-ccc.        Zaleplon.
- 17       bbb-ddd.        Zolpidem.
- 18       eee-eee.        Zopiclone.
- 19       5. Fenfluramine. Any material, compound, mixture, or preparation which contains any
- 20       quantity of the following substances, including its salts, isomers (whether optical,
- 21       position, or geometric), and salts of such isomers, whenever the existence of such
- 22       salts, isomers, and salts of isomers is possible: Fenfluramine.
- 23       6. Stimulants. Unless specifically excepted or unless listed in another schedule, any
- 24       material, compound, mixture, or preparation which contains any quantity of the
- 25       following substances having a stimulant effect on the central nervous system,
- 26       including its salts, isomers, and salts of isomers:
- 27       a. Cathine.
- 28       b. Diethylpropion.
- 29       c. Fencamfamin.
- 30       d. Fenproporex.
- 31       e. Mazindol.

- 1           f. Mefenorex.
- 2           g. Modafinil.
- 3           h. Pemoline (including organometallic complexes and chelates thereof).
- 4           i. Phentermine.
- 5           j. Pipradrol.
- 6           k. Sibutramine.
- 7           l. SPA ((-)-1-dimethylamino-1, 2-diphenylethane).
- 8         7. Other substances. Unless specifically excepted or unless listed in another schedule,
- 9           any material, compound, mixture, or preparation which contains any quantity of:
- 10          a. Pentazocine, including its salts.
- 11          b. Butorphanol, including its optical isomers.
- 12         8. The board may except by rule any compound, mixture, or preparation containing any
- 13           depressant substance listed in subsection 2 from the application of all or any part of
- 14           this chapter if the compound, mixture, or preparation contains one or more active
- 15           medicinal ingredients not having a depressant effect on the central nervous system,
- 16           and if the admixtures are included therein in combinations, quantity, proportion, or
- 17           concentration that vitiate the potential for abuse of the substances which have a
- 18           depressant effect on the central nervous system.

19         **SECTION 4. EMERGENCY.** This Act is declared to be an emergency measure.