# Sixty-sixth Legislative Assembly of North Dakota In Regular Session Commencing Thursday, January 3, 2019

SENATE BILL NO. 2133 (Senators O. Larsen, Bekkedahl) (Representatives Hoverson, McWilliams, Paulson)

AN ACT to amend and reenact sections 39-10-41 and 39-10-43 of the North Dakota Century Code, relating to railroad grade crossings; and to provide a penalty.

#### BE IT ENACTED BY THE LEGISLATIVE ASSEMBLY OF NORTH DAKOTA:

**SECTION 1. AMENDMENT.** Section 39-10-41 of the North Dakota Century Code is amended and reenacted as follows:

#### 39-10-41. Obedience to signal indicating approach of train or other on-track equipment.

- 1. Whenever any person drivingWhen a vehicle approaches a railroad grade crossing under any of the circumstances stated in this section, the driver of suchthe vehicle shall stop within fifty feet [15.24 meters] but not less than fifteen feet [4.57 meters] from the nearest rail of such railroad, and may not proceed until the driver can do so safely. The foregoingThese requirements apply when:
  - a. A clearly visible electric or mechanical signal device gives warning of the immediate approach of a railroad train or other on-track equipment;
  - b. A crossing gate is lowered or when a human flagman gives or continues to give a signal of the approach or passage of a railroad train or other on-track equipment;
  - c. A railroad train <u>or other on-track equipment</u> approaching within approximately one thousand three hundred twenty feet [402.34 meters] of the highway crossing emits a signal audible from such distance and such railroad train <u>or other on-track equipment</u>, by reason of its speed or nearness to such crossing, is an immediate hazard; or
  - d. An approaching railroad train <u>or other on-track equipment</u> is plainly visible and is in hazardous proximity to such crossing.
- 2. NoA person may not drive anya vehicle through, around, or under any crossing gate or barrier at a railroad crossing while suchthe gate or barrier is closed or is being opened or closed. NoA person may not drive anya vehicle past anya human flagman at a railroad crossing until the flagman signals that the way is clear to proceed.

**SECTION 2. AMENDMENT.** Section 39-10-43 of the North Dakota Century Code is amended and reenacted as follows:

### 39-10-43. Certain vehicles must stop at all railroad grade crossings.

The driver of a bus carrying passengers, or of anya schoolbus, or of anya vehicle carrying any chlorine, empty or loaded cargo tank vehicles used to transport dangerous articles or any liquid having a flashpoint below two hundred degrees Fahrenheit [93.33 degrees Celsius], cargo tank vehicles transporting a commodity having a temperature above its flashpoint at the time of loading, certain cargo tank vehicles transporting commodities under special permits issued by the hazardous materials regulations board, and every motor vehicle which must have the following placards: "explosives", "poison", "flammable oxidizers", "compressed gas", "corrosives", "flammable gas", "radioactive", or "dangerous", before crossing at grade any track or tracks of a railroad, shall stop suchthe vehicle within fifty feet [15.24 meters] but not less than fifteen feet [4.57 meters] from the nearest rail of suchthe railroad and while se-

stopped shall listen and look in both directions along <u>suchthe</u> track for any approaching train <u>or other on-track equipment</u>, and for signals indicating the approach of a train <u>or other on-track equipment</u> and may not proceed until the driver can do so safely. After stopping as required <u>herein</u> and upon proceeding when <u>it is</u> safe to do so, the driver of <u>any saidthe</u> vehicle shall cross only in such gear of the vehicle that there will be no necessity for manually changing gears while traversing <u>suchthe</u> crossing and the driver may not <u>manually</u> shift gears <u>manually</u> while crossing the track <u>or tracks</u>.

- 2. NoA stop need be made is not required at any such a crossing at which if traffic is controlled by a police officer. For the purposes of this section, a United States marshal must be is considered a police officer.
- 3. No stop need be made is not required at a crossing that the director has designated as an out-of-service crossing and which is clearly marked by signs bearing the words "Tracks out of service" or "Exempt" in conspicuous places on each side of the crossing.
- 4. The designation must be limited to use at <u>crossingsa crossing</u> where track has been abandoned or its use discontinued.
- 5. The director shall notify the road authority and any railway company of a crossing under the jurisdiction of that railway company which the director has designated as an out-of-service crossing under this section and the road authority shall erect signs bearing the words "Tracks out of service" or "Exempt" in conspicuous places on each side of the crossing.
- 6. All signs must conform to the manual on uniform traffic-control devices as provided under section 39-13-06.

## S. B. NO. 2133 - PAGE 3

	President of the Senate			Speaker of the House	
	Secreta	ary of the Senate		Chief Clerk of the House	
		I originated in the cords of that body		xty-sixth Legislative lo. 2133.	Assembly of North
Senate Vote:	Yeas 46	Nays 0	Absent 1		
House Vote:	Yeas 87	Nays 4	Absent 3		
				Secretary of the S	Senate
Received by the Governor atM. on					, 2019.
Approved atM. on					, 2019.
				Governor	
Filed in this office thisday of				, 2019,	
at o	clock	_M.			
				Secretary of State	)